FİYAT LİSTESİ 01-01-2016 TL/100 ADET

Webpages : http://www.vitasvida.com **E-mail:** info@vitasvida.com

SİZE	DIN 934 6 Quality	DIN 934 8 Quality	DIN 934 10 Quality	DIN 982 6 Quality	DIN 985 6 Quality	DIN 985 8 Quality	DIN 985 10 Quality	DIN 936 8 Quality	DIN 6915 10 Quality	DIN 315	DIN 6330	DIN 3307
1/4	3,63	4,17	4,96		5,63	6,21				12,50		
5/16	5,41	6,21	7,39		7,70	8,51				16,50	14,00	
3/8	8,04	9,69	11,52		12,26	13,56				23,00	11,18	
7/16	14,27	16,90	19,57		25,00						30,00	
1/2	18,92	21,62	25,73		48,00						28,75	
9/16	29,71	33,49	39,83		74,00						70,45	
5/8	36,04	41,86	49,62		95,00						90,50	
3/4	58,31	68,33	80,77		144,00						115,50	
7/8	168,00				305,00						195,00	
1"	220,00				446,00							
1"-12	248,00											
1"-14	250,00											
1 1/8	347,00											
1 1/4	494,00											
1 1/2	863,00											
1/2 Wht	18,67	21,82	24,19									
1/2 Wht sw:22	28,44											
M 2	1,20											
M 2,5	1,32											
M 3	1,25				4,42							
M 4	0,90	0,99	1,20		4,30					9,30		21,00
M 5	1,22	1,36	1,75		4,35					10,50		21,00
M 6	2,34	2,82	3,60	4,83	3,48	3,84	4,42	2,73		12,40		20,00
M 7	2,93	3,56	4,56									
M 8	4,77	6,03	7,59	9,28	7,33	8,15	9,33	6,38		16,50	17,40	
M 8*1	5,00	6,32	7,97					7,08				
M10	10,80	13,75	17,36	18,54	15,39	17,02	19,49	13,63		27,10	38,50	
M 10*1	11,32	14,45	18,21	18,54	15,39	17,02	19,49	14,66				
M 10*1,25	11,32	14,45	18,21	18,54	15,39	17,02	19,49	14,66				
M12	16,36	20,52	25,89	25,66	24,38	27,09	31,31	19,15	38,16	56,00	46,20	
M 12*1,25	17,17	21,55	27,18	25,66	24,38	27,09	31,31	20,11				
M 12*1,50	17,17	21,55	27,18	25,66	24,38	27,09	31,31	20,11				
M14	23,44	29,21	35,99		37,68	41,77	48,18	29,65			68,50	
M 14*1,50	24,61	30,67	37,79		37,68	41,77	48,18	31,92				
M16	32,75	41,79	47,96		49,66	53,06	62,13	34,19	71,46		91,60	
M 16*1,50	34,37	43,87	50,35		49,66	53,06	62,13	36,74				
M18	48,24	62,47	71,25		75,64	83,82	95,36					
M 18*1,50	50,65	60,56	74,82		75,64	83,82	95,36	53,74				
M20	66,39	80,89	92,73		104,31	128,57	147,34		117,87		194,00	
M 20*1,50	69,72	83,01	97,34		104,31							
M22	83,99	115,79	134,34		212,00						209,00	
M 22*1,50	88,19	150,00	175,00		222,00							
M24	118,25	154,59	177,34		295,00				320,00		363,00	
M 24*1,50	140,00				296,00							
M27	230,00				525,00				455,00			
M30	372,00				762,00				628,00			
M33	499,00				1.139,00				1.120,00			
M36	681,00				1.491,00							
M 39	870,00				1.950,00							
M 42	1.130,00				2.500,00							
M 45	1.420,00				3.070,00							
M 48	1.759,00				4.160,00							
M 52	2.195,00											
M 56	2.681,00											
M 60	3.192,00											
M 64	3.745,00											

SİZE	DIN 1624	DIN 1587 8 Quality	DIN 6923 6 Quality	DIN 6925 6 Quality	DIN 6926 6 Quality	DIN 6927 6 Quality	DIN 929 6 Quality	DIN 6334	DIN 980 6 Quality	DIN 980 8 Quality	DIN 980 10 Quality	DIN 936
1/4		16,36										
5/16	8,85	31,00										
M 4		8,00	4,63									
M 5	12,60	8,50	5,60									
M 6	5,85	11,65	4,65	5,79	11,97	9,40	3,78	70,00	5,10	5,78	6,03	2,73
M 7												
M 8	8,85	25,20	9,49	11,61	20,64	15,29	7,38	85,00	10,28	11,61	12,58	6,38

M 8*1												7,08
M10	26,40	46,20	16,65	21,87	31,28	23,87	13,06	110,00	19,38	21,86	23,89	13,63
M 10*1												14,66
M 10*1,25							13,06		20,43	22,87	24,97	14,66
M12		65,00	28,41	30,14	55,92	38,88	19,47	130,00	26,70	30,14	33,06	19,15
M 12*1,25							19,47		28,00	31,62	34,68	20,11
M 12*1,50							19,47		28,00	31,62	34,68	20,11
M14			46,83	48,16	83,41	83,13			39,45	44,59	47,73	29,65
M 14*1,50									42,99	48,66	50,37	31,92
M16				68,28					62,77	68,28	80,04	34,19
M 16*1,50									66,02	71,84	83,68	36,74
M18												
M 18*1,50												53,74

SİZE												
	RONDELA	RONDELA	RONDELA	RONDELA	RONDELA	RONDELA	RONDELA	RONDELA	RONDELA	RONDELA	RONDELA	RONDELA
	İNCE DÜZ	İNCE DÜZ	KALIN DÜZ	KALIN DÜZ	DIN 125	DIN 125	DIN 125	DIN 125	DIN 127	DIN 127	DIN 6916	DIN 6916
	TL/100 KĞ	TL/100 KĞ	TL/100 KĞ	TL/100 KĞ	TL/100 AD	TL/100 AD	TL/100 KĞ	TL/100 KĞ	TL/100 AD	TL/100 AD	TL/100 AD	TL/100 AD
		Zinc Plated		Zinc Plated		Zinc Plated		Zinc Plated		Zinc Plated		Zinc Plated
1/8	1.400,00	1.520,00										
5/32	1.220,00	1.340,00										
3/16	700,00	820,00							1,40	1,52		
1/4	700,00	820,00							1,45	1,54		
5/16	680,00	800,00	610,00	730,00					2,33	2,53		
5/16 2mm			610,00	730,00								
3/8	680,00	800,00	610,00	730,00					3,64	3,95		
7/16	680,00	800,00	610,00	730,00					4,50	4,94		
1/2	680,00	800,00	590,00	710,00					5,64	6,19		
9/16			590,00	710,00					7,85	8,67		
5/8			590,00	710,00					10,70	11,82		
3/4			590,00	710,00					17,82	19,68		
7/8			590,00	710,00					20,00	22,03		
1"			590,00	710,00					34,00	37,42		
1 1/8			680,00	800,00								
1 1/4			680,00	800,00								
1 1/2			680,00	800,00								
M 3					0,76	0,80			0,67	0,68		
M 4					0,76	0,80			0,75	0,78		
M 5					0,91	1,05			1,01	1,06		
M 6					1,48	1,68			1,89	1,98		
M 8					1,50	1,77			3,51	3,70		
M10					2,45	2,95			5,34	5,65		
M12							660,00	780,00	8,01	8,52	19,70	23,64
M14							625,00	745,00	13,42	14,30		
M16							625,00	745,00	18,86	20,10	41,00	49,20
M18							625,00	745,00	20,65	22,00		
M20							625,00	745,00	31,64	33,50	64,00	76,80
M22							625,00	745,00	34,24	37,00	68,00	81,60
M24							625,00	745,00	58,54	62,00	85,00	102,00
M27							680,00	800,00	69,78	74,00	153,00	183,60
M30							680,00	800,00	94,85	100,50	193,00	231,60
M33							780,00	900,00	133,98	142,00		
M36							780,00	900,00				

DIN 931 (ISO 4014 EN 24014) - DIN 933 (ISO 4017 EN 24017) 8.8 Quality

Size	M 5	M 6	M 7	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22	M 24
10	5,75	8,43	10,20	14,41								
12	5,78	7,87	10,29	14,54								
15	5,72	7,26	11,33	12,94	23,18							
16	5,76	7,26	11,38	12,94	23,18							
18	6,23	7,47	12,26	13,69	24,70							
20	6,37	7,78	12,37	14,41	25,06	36,26						
25	7,34	8,91	13,73	16,32	27,95	39,41	66,00	85,59				
30	8,43	10,79	14,95	17,95	30,65	43,37	68,31	92,21				
35	9,45	12,24	16,52	21,00	33,57	47,82	72,50	95,89				
40	11,76	13,67	19,53	23,58	40,34	51,62	77,61	103,80	156,51	181,15	369,50	411,00
45	12,96	15,12	21,66	25,78	43,80	62,06	83,30	111,69	160,24	190,95	394,50	436,50
50	14,10	16,49	23,52	27,91	47,41	67,72	93,70	118,51	166,55	201,93	394,33	369,72
55		17,96	26,20	30,05	51,57	72,27	102,12	131,78	175,86	214,97	417,31	389,18
60		19,46	28,43	32,03	54,43	77,44	107,51	139,44	188,62	226,50	423,36	404,32
65		21,27		34,73	58,44	82,79	114,53	150,55	201,70	240,09	444,53	419,44
70		21,36		36,77	61,11	86,65	120,18	157,72	212,10	266,40	466,91	436,85
75		25,44		39,94	65,83	93,27	133,40	168,90	221,72	283,17	489,89	462,15
80		27,93		41,36	68,56	97,01	135,19	176,70	231,84	294,76	511,66	515,41
85		43,97		44,43	74,10	104,54	148,60	188,73	243,27	310,48	532,22	578,35
90		42,11		46,57	76,85	107,77	144,88	194,55	259,18	322,88	557,63	557,00
100		55,08		51,57	85,85	117,95	159,02	212,80	287,84	356,27	601,17	587,10
110		63,46		58,20	92,45	127,20	175,91	232,31	320,61	380,42	609,64	643,64
120		77,04		66,03	100,84	139,11	194,98	252,71	353,38	408,54	633,23	695,39
130		83,99		72,94	113,21	159,73	221,97	267,81	380,81	443,53	662,86	738,60
140		90,13		79,00	124,01	177,81	235,85	293,40	418,08	478,62	706,41	798,41
150		97,30		86,39	162,92	192,11	250,72	319,83	461,40	508,03	751,16	838,67
160				141,00	227,30	342,00	370,30	341,44	508,41	542,70	794,71	885,86
170				150,00	247,00	362,00	390,00	373,23	556,18	595,20	839,46	954,85
180				162,00	266,00	383,00	409,50	409,07	612,73	647,33	884,22	1.003,17
190				170,00	278,00	402,50	430,00	448,20	675,28	706,88	927,76	1.050,33
200				175,00	291,00	427,00	449,00	489,68	744,21	771,99	1.006,39	1.098,68
210							577,00	677,00	861,00	1.075,00	1.190,00	1.483,00
220							635,00	735,00	934,00	1.165,00	1.242,00	1.610,00
230							693,00	793,00	1.006,00	1.320,00	1.381,00	1.990,00
240												2.088,00
250												2.217,00

DIN 931 (ISO 4014 EN 24014) - DIN 933 (ISO 4017 EN 24017) 8.8 Quality

Size	M 27	M 30	M 33	M 36	M 39	M 42	M 45	M 48	M 52	M 56	M 60	M 64
50	682,00	898,00										
55	720,00	975,00										
60	753,00	983,00										
65	810,00	1.055,00										
70	822,00	1.068,00		1.653,00								
75	863,00	1.140,00		1.820,00								
80	892,00	1.153,00		1.895,00								
85	962,00	1.230,00		1.980,00								
90	973,00	1.243,00	1.567,00	2.030,00								
95	1.032,00	1.324,00	1.665,00	2.182,00								

100	1.040,00	1.333,00	1.675,00	2.244,00
105	1.097,00	1.351,00	1.720,00	2.388,00
110	1.121,00	1.413,00	1.767,00	2.515,00
115	1.191,00	1.498,00	1.875,00	2.660,00
120	1.262,00	1.582,00	1.981,00	2.805,00
125	1.331,00	1.666,00	2.074,00	2.950,00
130	1.402,00	1.751,00	2.166,00	3.095,00
140	1.472,00	1.844,00	2.275,00	3.240,00
150	1.542,00	1.920,00	2.367,00	3.384,00
160	1.648,00	2.068,00	2.472,00	3.530,00
170	1.807,00	2.240,00	2.690,00	3.817,00
180	2.050,00			
190	2.110,00			

DIN 931 (ISO 4014 EN 24014) - DIN 933 (ISO 4017 EN 24017) 10,9 Quality

Size	M 5	M 6	M 7	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22	M 24
10	6,78	9,95	12,05	17,01								
12	6,85	9,30	12,14	17,19								
15	6,74	8,56	13,38	15,25	27,33							
16	6,78	8,56	13,44	15,25	27,33							
18	7,35	8,79	14,48	16,14	29,14							
20	7,52	8,89	14,59	17,01	29,57	42,80						
25	8,65	10,01	16,20	19,25	32,98	46,50	77,90	101,01				
30	9,95	11,96	17,64	21,18	36,18	51,18	80,61	108,79				
35	11,15	13,26	19,49	24,78	39,59	56,44	85,56	113,17				
40	13,88	15,29	23,01	27,83	47,58	60,94	91,58	122,48	184,69	213,76		
45	15,29	16,70	25,57	30,43	51,68	73,21	98,30	131,81	177,48	225,33		
50	16,64	18,27	27,76	32,95	55,95	79,91	110,56	139,81	196,54	238,26	465,31	462,14
55		20,56	30,92	35,46	60,85	85,26	120,52	155,50	207,49	253,67	492,43	486,48
60		22,28	33,52	37,81	64,22	91,39	126,88	164,54	222,58	267,28	499,56	505,39
65		25,10		40,96	68,95	97,69	135,17	177,64	237,99	283,33	524,55	524,30
70		25,20		43,41	72,11	102,21	141,85	186,09	250,29	314,37	550,95	546,07
75		30,05		47,10	77,70	110,06	157,43	199,32	261,61	334,12	578,07	577,70
80		32,96		48,83	80,90	114,47	159,53	208,48	273,57	347,84	603,76	644,25
85		51,89		52,42	87,42	123,38	175,35	222,71	287,05	366,34	628,02	722,93
90		49,68		54,94	90,69	127,17	170,97	229,56	305,82	380,99	658,00	696,25
100		65,03		60,85	101,29	139,18	187,63	251,10	339,66	420,42	709,39	733,88
110		74,85		68,69	109,09	150,11	207,59	274,08	378,32	448,89	719,38	804,55
120		90,91		77,91	119,01	164,16	230,08	298,18	416,99	482,07	747,21	869,24
130		99,12		86,05	133,60	188,47	261,94	316,01	449,34	523,36	782,18	923,27
140		106,33		93,23	146,32	209,82	278,31	346,20	493,34	564,79	833,55	998,02
150		114,80		101,93	192,25	226,69	295,87	377,38	544,44	599,48	886,37	1.048,38
160								402,90	599,93	640,39	937,75	1.107,32
170								440,40	656,28	702,35	990,57	1.193,57
180								482,72	723,01	763,86	1.043,38	1.253,96
190								528,88	796,83	834,13	1.094,76	1.312,93
200								577,81	878,18	910,96	1.187,54	1.373,33

DIN 960 (ISO 8765 EN 28765) - DIN 961 (ISO 8676 EN28676) 8.8 Quality

Size	M 10 (1,25)	M 12 (1,25-1,50)	M 14 (1,50)	M 16 (1,50)	M 18 (1,50-2,00)	M 20 (1,50-2,00)	M 22 (1,50-2,00)	M 24 (1,50-2,00)	M 27 (1,50-2,00)	M 30 (1,50-2,00)	M 36 (1,50-2,00)	M 36x (3,00)
20	28,02	41,32										
25	30,83	43,62	71,16									
30	33,58	48,29	73,86	99,81								
35	36,55	52,70	79,65	107,51								
40	42,24	57,06	85,34	114,49	168,51	195,16						
45	46,18	66,56	91,58	122,50	172,78	202,34						
50	49,73	70,99	101,74	132,59	181,79	221,72						
55	53,94	77,11	112,80	141,63	192,06	233,09						
60	57,48	81,66	116,69	155,02	205,83	253,69						
65	61,59	86,90	127,47	162,39	218,74	263,96						
70	64,11	90,49	131,75	175,21	231,37	281,09						
75	70,92	96,90	142,85	181,21	243,51	294,06						
80	74,62	101,27	147,03	193,62	253,21	315,98						
90	82,19	112,48	162,38	213,82	283,78	348,57						
100	93,34	123,15	178,09	233,14	320,74	384,38						
110	106,37	135,79	196,91	280,12	356,94	402,41						
120	118,11	148,38	218,32	306,04	393,24	434,86						
130	130,85	189,21	272,05	330,80	423,76	464,90						
140	141,86	210,65	302,61	357,32	464,76	506,38						
150	152,58	225,96	322,28	387,87	512,25	539,58						
160				423,60	549,95	589,01						
170				462,77	596,35	642,77						
180				505,54	646,96	700,32						
190				552,21	700,54	763,56						
200				602,55	760,19	833,20						

DIN 6914 (EN 14399-4) 10.9 Quality

Size	M 16	M 20	M 24	M 27	M 30
40	146,29	231,25			
45	157,43	261,90			
50	168,54	278,62	534,27		
55	179,72	295,32	558,54		
60	190,85	313,43	600,75		
65	202,00	330,16	629,51		
70	213,13	346,87	658,25		
75	222,88	365,00	687,02		
80	234,05	381,67	711,35	1.020,00	
85	244,30	391,73	744,52	1.061,00	1.341,00
90	256,33	415,15	773,30	1.100,00	1.388,00
95	270,87	435,41	802,05	1.141,00	1.438,00
100	277,17	448,57	830,81	1.178,00	1.485,00
110			964,00	1.258,00	1.582,00
120			1.029,00	1.337,00	1.680,00
130			1.091,00	1.416,00	1.778,00
140			1.169,00	1.750,00	1.875,00
150			1.233,00	1.890,00	1.975,00

DIN 7990 8.8 Quality

Size	M 12	M 16	M 20
30	53,63		
35	61,35		
40	67,21	125,10	232,92
45	73,08	135,48	248,46
50	79,21	145,82	264,03
55	85,23	156,21	279,60
60	91,23	166,56	295,14
65	97,23	176,94	310,71
70		187,29	326,25
75		197,68	341,81
80		208,04	357,36
85		222,16	380,81
90		237,43	388,45
95		244,30	416,73
100		258,95	419,57

DIN 6921 (ISO 8100) 8.8 Quality

Size	M 5	M 6	M 8	M 10	M 12	M 14	M 16
12	10,00	13,01	19,45				
14	9,50	13,07	19,59				
16	8,85	11,62	20,53	36,77			
18	9,51	11,98	21,39	37,02			
20	9,75	12,03	21,98	38,39			
25	10,96	13,40	24,19	41,67	64,11		
30	12,83	15,20	26,49	44,44	70,45		

35	14,39	16,77	29,05	48,47	74,90	119,99	
40	17,27	18,45	32,77	54,03	80,15	123,26	157,77
45	19,34	20,97	35,64	58,43	89,78	131,81	169,01
50		23,00	39,04	63,04	97,76	142,85	178,90
55		25,78	43,51	69,78	103,04	156,61	195,77
60		28,90	45,63	72,01	110,25	161,24	202,87
65		32,56	49,22	77,33	116,50	170,75	213,36
70		33,27	52,51	81,67	123,70	181,15	222,54
75		37,47	55,33	86,41	131,01	190,51	236,27
80			61,62	94,88	138,13	200,84	258,03
85			67,47	101,51	151,31	218,43	282,40
90			68,03	104,30	153,21	220,98	283,72
100			74,40	121,42	167,46	241,65	308,08
110			81,18		180,45	258,12	351,73
120			88,07			280,49	385,37
130			95,17			303,30	419,04
140						325,41	459,03

DIN 6921 (ISO 8100) 10,9 Quality

Size	M 5	M 6	M 8	M 10	M 12	M 14	M 16
12	12,00	15,35	22,96				
14	11,00	15,40	23,12				
16	10,40	13,73	24,21	43,41			
18	11,25	14,12	25,26	43,69			
20	11,49	14,20	25,91	45,33			
25	12,94	15,83	28,56	49,17	75,63		
30	15,14	17,92	31,28	52,44	83,15		
35	16,97	19,79	34,28	57,19	88,39	141,57	
40	20,38	21,77	38,69	63,74	94,55	145,43	186,15
45	22,84	24,76	42,08	68,93	105,93	155,53	199,44
50		27,13	46,07	74,40	115,33	168,54	211,10
55		30,43	51,34	82,33	121,61	184,79	231,03
60		34,11	53,85	84,96	130,08	190,25	239,38
65		38,42	58,08	91,26	137,46	201,48	251,77
70		39,25	61,96	96,39	145,97	213,76	262,58
75		44,22	65,30	101,97	154,60	224,80	278,79
80			72,74	111,95	163,00	236,98	304,50
85			79,62	119,78	178,52	257,73	333,24
90			80,28	123,06	180,77	260,77	334,79
95			87,79	143,26	197,60	285,14	363,53
100			95,82		212,92	304,58	415,05
110			103,93			330,97	454,74
120			112,31			357,90	494,47
130						383,97	541,64

DIN 912 (ISO 4762) 8.8 Quality

Size	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22
8	8,54	11,30	10,31									
10	8,67	7,27	9,63	10,31	24,36							
12	9,50	7,27	8,28	9,24	17,37							
14	9,90	7,90	6,99	9,91	18,40							
16	10,00	6,16	7,06	9,46	16,63	27,86						
18	11,90	7,10	8,04	9,72	17,97	28,14						
20	12,00	7,26	8,07	9,72	17,97	28,95	43,37					
25	14,20	8,62	9,28	10,96	19,02	31,13	44,94	126,00	135,68			
30	16,40	9,42	10,68	11,87	21,21	34,65	48,00	69,96	120,74			
35	23,91	10,87	12,02	13,88	23,98	37,56	52,63	77,03	113,48			
40	26,31	12,11	13,93	15,55	26,05	41,49	56,59	82,07	107,64	375,00	207,68	
45		18,18	15,51	16,71	28,89	45,71	63,53	89,13	115,19	400,00	225,71	
50		25,25	19,27	18,62	30,93	49,68	67,44	95,79	125,11	406,00	227,62	632,00
55		34,9	28,00	20,64	33,90	52,32	74,53	101,73	142,97	410,00	244,68	690,00
60		35,23	28,72	22,06	37,96	57,76	79,41	110,45	150,91	456,00	257,84	697,00
65		47,9	59,00	25,29	38,03	61,46	85,21	114,69	161,57	500,00	267,62	770,00
70		48,82	60,61	26,30	41,33	65,49	88,53	125,43	170,26	505,00	280,94	773,00
75		57,9	94,00	31,33	44,19	69,79	96,40	130,90	183,25	550,00	293,62	840,00
80		58,71	95,64	31,62	47,46	73,99	99,57	142,65	188,91	560,00	311,34	849,00
90			122,68	35,07	53,11	84,21	110,79	155,44	215,55	616,00	342,55	925,00
100			140,15	38,51	59,21	92,11	122,41	171,36	224,37	671,00	380,84	1.000,00
110				50,88	66,25	101,77	133,13	192,21	265,37	726,00	414,97	1.076,50
120				65,66	71,70	110,66	145,38	208,19	284,53	782,00	449,07	1.153,00
130				73,71	93,12	123,27	162,91	224,21	305,64	837,00	483,68	1.228,00
140				84,21	101,60	132,16	175,18	240,22	327,79	891,00	518,03	1.303,00
150					273,60	145,69	197,94	274,20	353,51	946,00	551,92	1.379,00
160					291,00	507,50	639,60	859,00	378,68	1.000,00	588,73	1.455,00
170					320,00	560,00	710,00	912,00	391,27	1.060,00	624,54	1.600,00
180					329,00	567,00	716,00	965,00	403,28	1.112,00	660,36	1.606,00
200						625,00	792,00	1.061,00	1.333,00	1.286,00	1.885,00	2.197,00
220								1.158,00	1.747,00		2.059,00	
240								1.265,00	1.841,00		2.420,00	
260								1.358,00	1.936,00		2.613,00	
280								1.445,00	2.033,00		2.796,00	

DIN 912 (ISO 4762) 8.8 Quality

Size	M 24	M 27	M 30
40	682,00		
45	740,00		
50	759,00		
55	454,03		
60	475,33		
65	520,00		
70	523,34	1.457,89	
75	560,00	1.570,00	
80	567,39	1.572,45	
90	619,65	1.718,23	
100	669,55	1.864,02	2.405,52
110	722,97	2.009,82	2.572,14
120	772,91	2.172,27	2.738,76
130	834,52	2.303,47	2.901,21
140	921,88	2.449,26	3.069,92
150	984,68	2.595,06	3.249,01
160	1.101,30	2.742,93	3.398,98
170	1.303,33	2.888,71	3.565,59
180	1.359,10	3.036,59	3.728,05
200	1.933,43	3.315,68	4.060,63
220	2.096,72		
240	2.265,25		
260	2.436,37		
280	2.612,74		

DIN 931 -933 (ISO 4762) 6.8 Quality Zinc Plated

Size	1/4	M 4	M 5	M 6
10	5,60	3,59	4,30	5,78
12	5,85	3,88	4,52	6,07
16	6,20	4,10	4,91	5,90
20	7,40	4,22	5,10	6,28
25	8,50	4,90	5,89	6,93
30	9,00	5,58	6,40	7,82
35	9,84	5,60	7,23	8,90
40	10,90	6,20	8,30	9,80
45	12,12	6,79	9,10	10,74
50	12,77	7,39	9,80	11,68
60	14,60	9,00	11,40	13,50
70				15,30

DIN 912 (ISO 4762) 10,9 Quality

Size	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 20	M 24
10	11,37	12,16	28,74						
12	9,77	10,90	20,50						
14	8,23	11,72	21,70						
16	8,35	11,16	19,63	32,88					
18	9,48	11,47	21,20	33,22					
20	9,51	11,47	21,20	34,16	51,17				
25	10,95	12,93	22,44	36,70	53,02				
30	12,61	13,99	25,01	40,89	56,64	82,57	142,50		
35	14,19	16,35	28,29	44,31	62,11	90,90	133,90		
40	16,44	18,35	30,74	48,97	66,79	96,84	127,02	245,08	
45	18,28	19,72	34,08	53,94	74,96	105,16	135,92	266,33	
50	22,74	21,96	36,50	58,60	79,57	113,00	147,61	268,61	
55		24,36	40,00	61,73	87,97	120,04	168,70	288,73	567,56
60		26,02	44,79	68,15	93,71	130,32	178,09	304,26	594,17
65		29,92	44,86	72,51	100,57	135,35	190,65	315,80	650,00
70		31,06	48,77	77,28	104,46	148,01	200,90	331,53	654,16
75		37,07	52,13	82,35	113,78	154,45	216,25	346,47	705,00
80		37,37	55,99	87,33	117,50	168,31	222,91	367,39	709,24
90		41,42	62,67	100,71	130,74	183,42	254,34	404,21	774,55
100		45,35	69,77	112,19	144,43	202,21	264,77	449,40	836,95
110		60,09	77,90	124,26	160,16	226,79	313,15	489,67	903,73
120		77,82	84,95	134,77	179,94	245,67	335,74	529,91	966,14
130		87,02	110,16	145,44	193,19	264,58	360,67	570,74	1.043,16
140		99,47	120,07	155,94	212,10	283,47	386,81	611,31	1.152,36
150				171,93	235,35	323,58	417,15	651,26	1.230,85
160							446,84	694,70	1.376,62
170							461,69	736,95	1.629,16
180							475,87	779,22	1.698,87

DIN 912 (ISO 4762) 12,9 Quality

Size	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 20	M 24
10	13,27	14,22	33,61						
12	11,45	12,74	23,98						
14	9,63	13,69	25,38						
16	9,76	13,04	22,97	38,47					
18	11,09	13,40	24,81	38,85					
20	11,15	13,40	24,81	39,95	59,86				
25	12,79	15,12	26,27	42,94	61,99				
30	14,75	16,35	29,26	47,81	66,24	96,55	166,62		
35	16,59	19,13	33,08	51,83	72,66	106,30	156,61		
40	19,23	21,45	35,95	57,25	78,08	113,26	148,55	286,63	
45	21,39	23,07	39,85	63,08	87,66	122,99	158,95	311,47	
50	26,60	25,68	42,68	68,55	93,06	132,16	172,64	314,13	
55		28,47	46,80	72,19	102,88	140,40	197,27	337,67	658,35
60		30,43	52,39	79,71	109,59	152,41	208,26	355,84	689,21
65		35,81	52,48	84,80	117,59	158,26	222,96	369,33	755,00
70		37,18	57,03	90,40	122,16	173,11	234,95	387,71	758,82
75		43,14	60,97	96,30	133,05	180,62	252,90	405,19	820,00
80		43,96	65,48	102,12	137,39	196,83	260,69	429,65	822,70
90		48,01	73,29	117,77	152,90	214,51	297,45	472,74	898,50
100		52,71	83,07	131,20	168,92	236,48	309,65	525,59	970,87
110		67,10	96,65	145,34	187,28	265,22	366,23	572,66	1.048,33
120		80,64	112,00	157,62	210,46	287,30	392,62	619,73	1.120,71
130		90,41	132,89	170,11	225,94	309,42	421,78	667,48	1.210,08
140		103,28	154,84	182,38	248,05	331,52	452,38	714,90	1.336,74
150				201,06	275,25	378,39	487,86	761,65	1.427,80
160							522,58	812,44	1.596,88
170							539,97	861,87	1.889,83
180							556,52	911,30	1.970,70

DIN 7991 (ISO 10642) 10.9 Quality

Size	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 16	M 20
8	11,55	8,98	7,69						
10	8,43	8,28	7,30	10,82					
12	8,83	9,47	7,30	8,75	17,66				
16	9,12	11,84	6,27	7,85	15,36	36,58			
20	10,10	12,63	6,84	8,48	15,66	27,54			
25		13,80	7,78	9,76	16,95	28,29	65,21		
30		15,38	9,30	11,22	18,57	32,19	54,50	180,27	
35		17,76	10,75	12,78	20,39	35,55	55,65	203,80	
40		19,72	12,47	14,95	22,96	38,44	59,73	157,06	504,26
45		21,07	16,71	24,27	32,82	47,81	64,85	179,61	551,29
50		27,39	16,71	24,27	32,82	47,81	73,21	179,61	607,46
60			22,22	35,82	42,00	59,09	73,21	208,88	705,43
70				47,69	47,70	68,21	88,68	298,20	809,95
80				54,68	78,72	77,21	102,83	395,61	986,31
90						82,18	119,25	436,59	1.200,00

DIN 7985 (ISO 7045) - DIN 965 (ISO 7046) - DIN 966 (ISO 7047) Zinc Plated Galvanized CR+3 Zn 6.8 Quality 20 Mn B4 Steel

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	M 2	M 2,5	M 3	M 3,5	M 4	M 5	M 6	M 8
4	1,98	1,80	1,50	2,25	2,30			
5	1,85	1,68	1,40	2,11	2,15			
6	1,47	1,33	1,11	1,91	1,95	2,94		
8	1,58	1,44	1,20	1,93	1,97	3,03	4,49	
10	1,64	1,49	1,24	2,00	2,04	3,16	4,82	
12	1,78	1,62	1,35	2,10	2,14	3,41	5,15	
16	2,05	1,86	1,55	2,31	2,36	3,67	5,16	11,20
20	2,44	2,22	1,85	2,72	2,78	4,14	5,80	12,71
25	2,76	2,51	2,09	3,13	3,19	4,51	6,47	14,17
30			2,43	3,51	3,58	5,11	7,20	15,50
35			2,72	3,86	3,94	5,42	8,03	16,93
40			3,03	4,08	4,16	6,09	8,75	18,35
45			3,50	4,54	4,63	6,50	9,50	19,00
50			3,90	5,00	5,10	6,89	10,24	20,30
60					6,04	7,99	11,80	23,00
70					6,97	9,10	12,90	26,50
80					7,98	10,50	14,00	29,90
90					8,99	11,70	15,30	35,00
100					9,99	12,90	16,90	39,00

DIN 84 (ISO 1207)-DIN 85 (ISO 1580)-DIN 963 (ISO 2009)-DIN 964 (ISO 2010) Zinc Plated Galvanized CR+3 Zn 6.8 Quality 20 Mn B4 Steel

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	M 2	M 2,5	M 3	M 3,5	M 4	M 5	M 6	M 8

4	2,38	2,16	1,80	2,70	2,76			
5	2,22	2,02	1,68	2,53	2,58			
6	1,76	1,60	1,33	2,29	2,34	3,53		
8	1,90	1,73	1,44	2,32	2,36	3,64	5,39	
10	1,96	1,79	1,49	2,40	2,45	3,79	5,78	
12	2,14	1,94	1,62	2,52	2,57	4,09	6,18	
16	2,46	2,23	1,86	2,78	2,83	4,40	6,19	13,44
20	2,93	2,66	2,22	3,27	3,34	4,97	6,96	15,25
25	3,31	3,01	2,51	3,75	3,83	5,41	7,76	17,00
30			2,92	4,21	4,30	6,13	8,64	18,60
35			3,26	4,63	4,73	6,50	9,64	20,32
40			3,64	4,89	4,99	7,31	10,50	22,02
45			4,20	5,44	5,56	7,80	11,40	22,80
50			4,68	6,00	6,12	8,27	12,29	24,36
60					7,25	9,59	14,16	27,60
70					8,36	10,92	15,48	31,80
80					9,58	12,60	16,80	35,88
90					10,79	14,04	18,36	42,00
100					11,99	15,48	20,28	46,80

DIN 967 (ISO 10683) Zinc Plated Galvanized CR+3 Zn 6.8 Quality 20 Mn B4 Steel

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	M 2	M 2,5	M 3	M 3,5	M 4	M 5	M 6	M 8
4	2,73	2,48	2,07	3,11	3,17			
5	2,55	2,32	1,93	2,91	2,97			
6	2,02	1,84	1,53	2,64	2,69	4,06		
8	2,19	1,99	1,66	2,66	2,72	4,18	6,20	
10	2,26	2,05	1,71	2,76	2,82	4,36	6,65	
12	2,46	2,24	1,86	2,89	2,95	4,71	7,11	
16	2,82	2,57	2,14	3,19	3,26	5,06	7,12	15,46
20	3,37	3,06	2,55	3,76	3,84	5,71	8,00	17,54
25	3,81	3,46	2,88	4,31	4,40	6,22	8,93	19,55
30			3,35	4,84	4,94	7,05	9,94	21,39
35			3,75	5,33	5,44	7,48	11,08	23,36
40			4,18	5,63	5,74	8,40	12,08	25,32
45			4,83	6,26	6,39	8,97	13,11	26,22
50			5,38	6,90	7,04	9,51	14,13	28,01
60					8,34	11,03	16,28	31,74
70					9,62	12,56	17,80	36,57
80					11,01	14,49	19,32	41,26
90					12,41	16,15	21,11	48,30
100					13,79	17,80	23,32	53,82

DIN 7985-TX (ISO 7045)-DIN 965-TX (ISO 7046)-DIN 966-TX (ISO 7047) Zinc Plated Galvanized CR+3 Zn 8.8 Quality 20 Mn B4 Steel

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	M 2	M 2,5	M 3	M 3,5	M 4	M 5	M 6	M 8
4	3,69	3,35	2,79	4,20	4,28			
5	3,44	3,13	2,61	3,93	4,01			
6	2,73	2,48	2,07	3,56	3,63	5,48		
8	2,95	2,68	2,24	3,60	3,67	5,64	8,36	
10	3,05	2,77	2,31	3,72	3,80	5,89	8,98	
12	3,32	3,02	2,52	3,91	3,99	6,35	9,59	
16	3,81	3,47	2,89	4,31	4,40	6,84	9,61	20,87
20	4,55	4,14	3,45	5,08	5,18	7,71	10,81	23,68
25	5,14	4,67	3,89	5,82	5,94	8,40	12,05	26,40
30			4,53	6,54	6,67	9,52	13,41	28,88
35			5,07	7,19	7,34	10,10	14,96	31,54
40			5,64	7,60	7,75	11,35	16,30	34,19
45			6,52	8,45	8,63	12,11	17,70	35,40
50			7,27	9,31	9,50	12,84	19,08	37,82
60					11,25	14,89	21,98	42,85
70					12,99	16,95	24,03	49,37
80					14,87	19,56	26,08	55,70
90					16,75	21,80	28,50	65,21
100					18,61	24,03	31,48	72,66

DIN 7971 (ISO 1481) - DIN 7972 (ISO 1482) - DIN 7973 (ISO 1483) Zinc Plated Galvanized CR+3 Zn 20 Mn B4 Steel

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
4,5	3,06	1,80						
5,5	2,96	1,74						
6,5	2,45	1,44	1,84	2,40	3,48			
9,5	2,82	1,66	2,04	2,23	2,90	3,54	6,60	9,60
13	3,02	1,78	2,30	2,64	3,11	3,85	5,40	9,00
16	3,47	2,04	2,58	3,04	3,48	4,38	6,07	8,33
19	3,71	2,18	2,95	3,42	3,77	4,91	6,50	9,08
22	4,22	2,48	3,12	3,68	4,20	5,42	6,79	9,66
25	4,49	2,64	3,46	4,07	4,61	5,95	7,26	10,61
32		3,00	4,01	4,73	5,26	7,08	8,64	12,08
38				5,11	5,95	7,88	9,67	13,68
45					6,65	8,51	10,50	15,55
50					7,36	9,14	11,46	16,82
60						10,86	13,20	18,60
70						12,60	15,60	20,40
80						15,30	18,00	22,68
90						17,76	20,40	25,80
100						20,40	23,88	28,80

SELF TAPPING SCREW DIN 7981 (ISO 7049) - DIN 7982 (7050) - DIN 7983 (7051) Zinc Plated Galvanized CR+3 Zn 20 Mn B4 Steel

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
4,5	2,55	1,50						
5,5	2,47	1,45						
6,5	2,04	1,20	1,53	2,00	2,90			
9,5	2,35	1,38	1,70	1,86	2,42	2,95	5,50	8,00
13	2,52	1,48	1,92	2,20	2,59	3,21	4,50	7,50
16	2,89	1,70	2,15	2,53	2,90	3,65	5,06	6,94
19	3,09	1,82	2,46	2,85	3,14	4,09	5,42	7,57
22	3,52	2,07	2,60	3,07	3,50	4,52	5,66	8,05
25	3,74	2,20	2,88	3,39	3,84	4,96	6,05	8,84
32		2,50	3,34	3,94	4,38	5,90	7,20	10,07
38				4,26	4,96	6,57	8,06	11,40
45					5,54	7,09	8,75	12,96
50					6,13	7,62	9,55	14,02
60						9,05	11,00	15,50
70						10,50	13,00	17,00

80						12,75	15,00	18,90
90						14,80	17,00	21,50
100						17,00	19,90	24,00

SELF TAPPING SCREW DIN 968 **Zinc Plated Galvanized CR+3 Zn** **20 Mn B4 Steel**

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
4,5	2,81	1,65						
5,5	2,71	1,60						
6,5	2,24	1,32	1,68	2,20	3,19			
9,5	2,58	1,52	1,87	2,05	2,66	3,25	6,05	8,80
13	2,77	1,63	2,11	2,42	2,85	3,53	4,95	8,25
16	3,18	1,87	2,37	2,78	3,19	4,02	5,57	7,63
19	3,40	2,00	2,71	3,14	3,45	4,50	5,96	8,33
22	3,87	2,28	2,86	3,38	3,85	4,97	6,23	8,86
25	4,11	2,42	3,17	3,73	4,22	5,46	6,66	9,72
32		2,75	3,67	4,33	4,82	6,49	7,92	11,08
38				4,69	5,46	7,23	8,87	12,54
45					6,09	7,80	9,63	14,26
50					6,74	8,38	10,51	15,42
60						9,96	12,10	17,05
70						11,55	14,30	18,70
80						14,03	16,50	20,79
90						16,28	18,70	23,65
100						18,70	21,89	26,40

TRUSS SCREW **Zinc Plated Galvanized CR+3 Zn** **6.8 Quality** **20 Mn B4 Steel**

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
4,5	2,93	1,73						
5,5	2,83	1,67						
6,5	2,35	1,38	1,76	2,30	3,34			
9,5	2,70	1,59	1,96	2,14	2,78	3,39	6,33	9,20
13	2,89	1,70	2,21	2,53	2,98	3,69	5,18	8,63
16	3,32	1,96	2,47	2,91	3,34	4,20	5,82	7,98
19	3,56	2,09	2,83	3,28	3,61	4,70	6,23	8,71
22	4,05	2,38	2,99	3,53	4,03	5,20	6,51	9,26
25	4,30	2,53	3,31	3,90	4,42	5,70	6,96	10,17
32		2,88	3,84	4,53	5,04	6,79	8,28	11,58
38				4,90	5,70	7,56	9,27	13,11
45					6,37	8,15	10,06	14,90
50					7,05	8,76	10,98	16,12
60						10,41	12,65	17,83
70						12,08	14,95	19,55
80						14,66	17,25	21,74
90						17,02	19,55	24,73
100						19,55	22,89	27,60

TRI-WING SCREW **Zinc Plated Galvanized CR+3 Zn** **20 Mn B4 Steel**

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
4,5	4,40	2,59						
5,5	4,25	2,50						
6,5	3,52	2,07	2,64	3,45	5,00			
9,5	4,05	2,38	2,93	3,21	4,17	5,09	9,49	13,80
13	4,34	2,55	3,31	3,80	4,47	5,54	7,76	12,94
16	4,99	2,93	3,71	4,36	5,00	6,30	8,73	11,97
19	5,34	3,14	4,24	4,92	5,42	7,06	9,35	13,06
22	6,07	3,57	4,49	5,30	6,04	7,80	9,76	13,89
25	6,45	3,80	4,97	5,85	6,62	8,56	10,44	15,25
32		4,31	5,76	6,80	7,56	10,18	12,42	15,37
38				7,35	8,56	11,33	13,90	19,67
45					9,56	12,23	15,09	22,36
50					10,57	13,14	16,47	24,18
60						15,61	18,98	26,74
70						18,11	22,43	29,33
80						21,99	25,88	32,60
90						25,53	29,33	37,09
100						29,33	34,33	41,40

TRILOBULAR SCREW **Zinc Plated Galvanized CR+3 Zn** **20 Mn B4 Steel**

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
4,5	4,84	2,85						
5,5	4,68	2,75						
6,5	3,87	2,28	2,90	3,80	5,50			
9,5	4,46	2,62	3,22	3,53	4,59	5,60	10,44	15,18
13	4,77	2,81	3,64	4,18	4,92	6,09	8,54	14,23
16	5,49	3,22	4,08	4,80	5,50	6,93	9,60	13,17
19	5,87	3,45	4,66	5,41	5,96	7,77	10,29	14,37
22	6,68	3,93	4,94	5,83	6,64	8,58	10,74	15,28
25	7,10	4,18	5,47	6,44	7,28	9,42	11,48	16,78
32		4,74	6,34	7,48	8,32	11,20	13,66	16,91
38				8,09	9,42	12,46	15,29	21,64
45					10,52	13,45	16,60	24,60
50					11,63	14,45	18,12	26,60
60						17,17	20,88	29,41
70						19,92	24,67	32,26
80						24,19	28,47	35,86
90						28,08	32,26	40,80
100						32,26	37,76	45,54

SAFETY TAPPING SCREW **Zinc Plated Galvanized CR+3 Zn** **20 Mn B4 Steel**

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
4,5	5,32	3,13						
5,5	5,14	3,03						
6,5	4,26	2,50	3,19	4,17	6,05			
9,5	4,90	2,88	3,55	3,88	5,05	6,16	11,48	16,70
13	5,25	3,09	4,01	4,60	5,41	6,70	9,39	15,66
16	6,04	3,55	4,49	5,28	6,05	7,62	10,56	14,48
19	6,46	3,80	5,13	5,95	6,56	8,54	11,31	15,80
22	7,34	4,32	5,43	6,41	7,31	9,44	11,81	16,81

25	7,80	4,60	6,01	7,08	8,01	10,36	12,63	18,45
32		5,22	6,97	8,23	9,15	12,32	15,03	18,60
38				8,89	10,36	13,71	16,82	23,80
45					11,57	14,80	18,26	27,06
50					12,79	15,90	19,93	29,26
60						18,89	22,97	32,36
70						21,91	27,14	35,49
80						26,61	31,31	39,45
90						30,89	35,49	44,88
100						35,49	41,54	50,09

SAFETY TAPPING SCREW **Zinc Plated Galvanized CR+3 Zn** **20 Mn B4 Steel**

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
4,5	7,03	4,14						
5,5	6,79	3,99						
6,5	5,62	3,31	4,22	5,51	7,99			
9,5	6,47	3,80	4,68	5,13	6,66	8,13	15,16	22,04
13	6,93	4,07	5,29	6,07	7,14	8,85	12,39	20,67
16	7,97	4,68	5,93	6,96	7,99	10,06	13,94	19,12
19	8,53	5,02	6,77	7,86	8,66	11,28	14,93	20,86
22	9,70	5,70	7,17	8,47	9,65	12,46	15,59	22,19
25	10,30	6,07	7,94	9,34	10,57	13,67	16,67	24,36
32		6,88	9,20	10,86	12,07	16,26	19,84	24,55
38				11,74	13,67	18,10	22,20	31,42
45					15,27	19,53	24,10	35,71
50					16,88	20,99	26,31	38,62
60						24,93	30,31	42,71
70						28,93	35,83	46,85
80						35,12	41,34	52,07
90						40,78	46,85	59,24
100						46,85	54,83	66,12

SAFETY TAPPING SCREW **Zinc Plated Galvanized CR+3 Zn** **20 Mn B4 Steel**

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
4,5	7,73	4,55						
5,5	7,47	4,39						
6,5	7,42	3,64	4,64	6,06	8,78			
9,5	7,12	4,18	5,15	5,64	7,33	8,94	16,67	24,25
13	7,63	4,48	5,82	6,68	7,85	9,73	13,63	22,73
16	8,77	5,15	6,52	7,66	8,78	11,07	15,34	21,03
19	9,38	5,52	7,45	8,64	9,52	12,40	16,43	22,95
22	10,66	6,27	7,89	9,31	10,61	13,70	17,15	24,40
25	11,33	6,68	8,73	10,28	11,63	15,04	18,34	26,79
32		7,57	10,12	11,95	13,28	17,89	21,82	27,00
38				12,91	15,04	19,91	24,42	34,56
45					16,80	21,49	26,51	39,28
50					18,57	23,09	28,94	42,48
60						27,43	33,35	46,98
70						31,82	39,41	51,53
80						38,63	45,47	57,28
90						44,85	51,53	65,16
100						51,53	60,32	72,74

SAFETY TAPPING SCREW **Zinc Plated Galvanized CR+3 Zn** **20 Mn B4 Steel**

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
4,5	8,50	5,01						
5,5	8,21	4,83						
6,5	9,80	4,00	5,10	6,67	9,66			
9,5	7,83	4,60	5,66	6,20	8,06	9,84	18,34	26,67
13	8,39	4,93	6,40	7,34	8,64	10,71	15,00	25,01
16	9,64	5,66	7,17	8,43	9,66	12,18	16,87	23,13
19	10,32	6,07	8,19	9,51	10,47	13,64	18,07	25,24
22	11,73	6,90	8,68	10,24	11,67	15,07	18,86	26,84
25	12,47	7,34	9,61	11,31	12,79	16,54	20,18	29,47
32		8,33	11,13	13,14	14,61	19,67	24,00	29,70
38				14,20	16,54	21,90	26,86	38,01
45					18,48	23,64	29,16	43,21
50					20,43	25,39	31,83	46,73
60						30,17	36,68	51,68
70						35,00	43,35	56,68
80						42,50	50,02	63,00
90						49,34	56,68	71,68
100						56,68	66,35	80,01

SAFETY TAPPING SCREW **Zinc Plated Galvanized CR+3 Zn** **20 Mn B4 Steel**

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
4,5	9,03	5,31						
5,5	10,78	4,40						
6,5	10,33	5,06	6,23	6,82	8,86			
9,5	9,23	5,42	7,04	8,08	9,50	11,78	16,50	27,51
13	10,61	6,23	7,89	9,27	10,63	13,39	18,56	25,45
16	11,35	6,68	9,01	10,46	11,52	15,01	19,88	27,76
19	12,90	7,59	9,55	11,27	12,84	16,58	20,75	29,53
22	13,71	8,08	10,57	12,44	14,07	18,20	22,19	32,42
25	14,96	9,16	12,25	14,46	16,07	21,64	26,40	32,67
32		10,00	13,36	15,63	18,20	24,09	29,55	41,82
38				17,05	20,32	26,00	32,08	47,53
45					22,47	27,93	35,01	51,40
50					24,51	33,18	40,35	56,85
60						38,50	47,68	62,35
70						46,75	55,02	69,30
80						54,27	62,35	78,85
90						62,35	72,98	88,01
100						68,02	79,62	96,01

SAFETY MACHINE SCREW **Zinc Plated Galvanized CR+3 Zn** **20 Mn B4 Steel**

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	M 2	M 2,5	M 3	M 3,5	M 4	M 5	M 6	M 8

4	9,00	3,34	4,03	4,49	4,83			
5	10,39	6,11	5,00	6,00	9,00			
6	12,39	5,06	6,00	7,00	10,00	12,00		
8	11,88	5,82	7,16	7,85	10,19	13,00	17,00	
10	10,61	6,23	8,09	9,29	10,93	13,54	18,97	
12	12,20	7,16	9,07	10,66	12,22	15,40	21,34	
16	13,05	7,68	10,37	12,03	13,25	17,26	22,86	31,93
20	14,84	8,73	10,98	12,96	14,77	19,07	23,86	33,96
25	15,77	9,29	12,15	14,30	16,18	20,93	25,52	37,28
30			14,08	16,62	18,48	24,89	30,36	37,58
35			15,36	17,97	20,93	27,70	33,98	48,09
40			17,00	19,60	23,37	29,90	36,89	54,66
45			19,00	22,00	25,84	32,12	40,27	59,11
50			21,00	25,00	28,19	38,16	46,40	65,37
60					31,00	44,27	54,84	71,70
70					33,00	53,76	63,27	79,70
80					36,00	62,41	71,70	90,68
90					39,00	71,70	83,93	101,21
100					45,00	78,22	91,56	110,41

SAFETY MACHINE SCREW **Zinc Plated Galvanized CR+3 Zn** **20 Mn B4 Steel**

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	M 2	M 2,5	M 3	M 3,5	M 4	M 5	M 6	M 8
4	9,90	5,50	4,43	4,93	5,31			
5	11,43	6,72	5,50	6,60	9,90			
6	13,63	5,57	6,60	7,70	11,00	13,20		
8	13,07	6,40	7,88	8,63	11,21	14,30	18,70	
10	11,67	6,86	8,90	10,22	12,02	14,90	20,87	
12	13,42	7,88	9,98	11,73	13,45	16,94	23,48	
16	14,36	8,44	11,40	13,23	14,58	18,99	25,14	35,12
20	16,32	9,60	12,07	14,25	16,24	20,98	26,25	37,35
25	17,35	10,22	13,37	15,73	17,80	23,02	28,08	41,01
30			15,49	18,29	20,33	27,38	33,40	41,33
35			16,90	19,77	23,02	30,47	37,38	52,90
40			18,70	21,56	25,71	32,89	40,58	60,13
45			20,90	24,20	28,43	35,34	44,29	65,03
50			23,10	27,50	31,01	41,98	51,04	71,91
60					34,10	48,70	60,32	78,88
70					36,30	59,14	69,60	87,67
80					39,60	68,66	78,88	99,74
90					42,90	78,88	92,32	111,33
100					49,50	86,05	100,71	121,46

SAFETY MACHINE SCREW **Zinc Plated Galvanized CR+3 Zn** **20 Mn B4 Steel**

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	M 2	M 2,5	M 3	M 3,5	M 4	M 5	M 6	M 8
4	10,89	5,50	4,87	5,43	5,84			
5	12,57	7,40	6,05	7,26	10,89			
6	14,99	6,12	7,26	8,47	12,10	14,52		
8	14,38	7,04	8,67	9,50	12,34	15,73	20,57	
10	12,84	7,54	9,79	11,24	13,22	16,39	22,96	
12	14,76	8,67	10,97	12,90	14,79	18,64	25,82	
16	15,80	9,29	12,54	14,55	16,03	20,88	27,66	38,63
20	17,96	10,56	13,28	15,68	17,87	23,07	28,87	41,09
25	19,08	11,24	14,70	17,31	19,58	25,32	30,88	45,11
30			17,04	20,12	22,36	30,11	36,74	45,47
35			18,59	21,74	25,32	33,52	41,12	58,19
40			20,57	23,72	28,28	36,18	44,64	66,14
45			22,99	26,62	31,27	38,87	48,72	71,53
50			25,41	30,25	34,11	46,18	56,15	79,10
60					37,51	53,57	66,35	86,76
70					39,93	65,05	76,56	96,44
80					43,56	75,52	86,76	109,72
90					47,19	86,76	101,55	122,47
100					54,45	94,65	110,79	133,60

TRILOBUR MACHINE SCREW **Zinc Plated Galvanized CR+3 Zn** **20 Mn B4 Steel**

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	M 2	M 2,5	M 3	M 3,5	M 4	M 5	M 6	M 8
4	9,00	6,33	5,60	6,24	6,72			
5	14,46	8,50	5,00	6,00	9,00			
6	17,24	7,04	6,00	7,00	10,00	12,00		
8	16,53	8,10	9,97	10,92	14,19	13,00	17,00	
10	14,76	8,67	11,26	12,93	15,21	18,85	26,40	
12	16,98	9,97	12,62	14,83	17,01	21,43	29,70	
16	18,17	10,68	14,42	16,74	18,44	24,02	31,81	44,43
20	20,65	12,14	15,27	18,03	20,55	26,53	33,20	47,25
25	21,94	12,93	16,91	19,90	22,52	29,12	35,52	51,88
30			19,59	23,13	25,72	34,63	42,25	52,29
35			21,38	25,00	29,12	38,54	47,29	66,91
40			17,00	27,28	32,52	41,60	51,33	76,07
45			19,00	22,00	35,96	44,70	56,03	82,26
50			21,00	25,00	39,23	53,10	64,57	90,97
60					31,00	61,61	76,30	99,78
70					33,00	74,81	88,04	110,90
80					36,00	86,85	99,78	126,18
90					39,00	99,78	116,79	140,84
100					45,00	108,85	127,40	153,64

TRI-WING MACHINE SCREW **Zinc Plated Galvanized CR+3 Zn** **20 Mn B4 Steel**

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	M 2	M 2,5	M 3	M 3,5	M 4	M 5	M 6	M 8
4	9,00	7,27	6,44	7,18	7,73			
5	16,63	9,78	5,00	6,00	9,00			
6	19,83	8,10	6,00	7,00	10,00	12,00		
8	19,01	9,31	11,46	12,56	16,31	13,00	17,00	
10	16,98	9,98	12,95	14,87	17,49	21,67	30,36	
12	19,52	11,46	14,51	17,06	19,56	24,65	34,15	
16	20,89	12,28	16,59	19,25	21,20	27,62	36,58	51,09
20	23,75	13,97	17,57	20,73	23,63	30,51	38,18	54,34
25	25,23	14,87	19,44	22,89	25,90	33,49	40,84	59,66
30			22,53	26,60	29,58	39,83	48,59	60,13
35			24,58	28,75	33,49	44,32	54,38	76,95
40			17,00	31,37	37,40	47,85	59,03	87,48
45			19,00	22,00	41,35	51,41	64,43	94,60
50			21,00	25,00	45,11	61,07	74,25	104,61

60					31,00	70,85	87,75	114,74
70					33,00	86,03	101,25	127,54
80					36,00	99,88	114,74	145,10
90					39,00	114,74	134,30	161,96
100					45,00	125,17	146,51	176,69

SAFETY MACHINE SCREW Zinc Plated Galvanized CR+3 Zn 20 Mn B4 Steel

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	M 2	M 2,5	M 3	M 3,5	M 4	M 5	M 6	M 8
4	9,90	5,50	7,08	7,89	8,50			
5	18,29	10,76	5,50	6,60	9,90			
6	21,81	8,91	6,60	7,70	11,00	13,20		
8	20,91	10,24	12,61	13,81	17,95	14,30	18,70	
10	18,68	10,97	14,24	16,35	19,24	23,84	33,39	
12	21,47	12,61	15,97	18,76	21,52	27,11	37,57	
16	22,98	13,51	18,25	21,17	23,32	30,38	40,24	56,20
20	26,12	15,36	19,32	22,81	25,99	33,57	42,00	59,77
25	27,76	16,35	21,39	25,17	28,49	36,84	44,93	65,63
30			24,79	29,26	32,53	43,81	53,45	66,14
35			27,04	31,63	36,84	48,76	59,82	84,65
40			18,70	34,51	41,14	52,63	64,94	96,22
45			20,90	24,20	45,49	56,55	70,88	104,06
50			23,10	27,50	49,62	67,18	81,68	115,07
60					34,10	77,93	96,52	126,22
70					36,30	94,63	111,37	140,29
80					39,60	109,87	126,22	159,61
90					42,90	126,22	147,73	178,16
100					49,50	137,69	161,17	194,36

HEX SHEET METAL SELF-TAPPING SCREW WITH CAPTIVE WASHER Zinc Plated Galvanized CR+3 Zn 20 Mn B4 Steel

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	3,9	4,2	4,8	5,5	6,3
5,5					
6,5					
7,5					
9,5					
13					
16					
19					
22					
25					
32					
38					
45					
50					
60					
70					
80					
90					
100					

DIN 7981-TX (ISO 7049) - DIN 7982-TX (7050) - DIN 7983-TX (7051) Zinc Plated Galvanized CR+3 Zn 20 Mn B4 Steel

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
4,5	3,96	2,33						
5,5	3,83	2,25						
6,5	3,17	1,86	2,38	3,11	4,50			
9,5	3,65	2,14	2,64	2,89	3,75	4,58	8,54	12,42
13	3,91	2,30	2,98	3,42	4,02	4,99	6,98	11,65
16	4,49	2,64	3,34	3,92	4,50	5,67	7,86	10,77
19	4,81	2,83	3,82	4,43	4,88	6,35	8,42	11,75
22	5,46	3,21	4,04	4,77	5,44	7,02	8,78	12,50
25	5,81	3,42	4,47	5,27	5,96	7,70	9,40	13,73
32		3,88	5,18	6,12	6,80	9,16	11,18	13,83
38				6,62	7,70	10,20	12,51	17,70
45					8,60	11,01	13,58	20,12
50					9,51	11,83	14,82	21,76
60						14,05	17,08	24,07
70						16,30	20,19	26,40
80						19,79	23,29	29,34
90						22,98	26,40	33,38
100						26,40	30,90	37,26

SQUARE TAPPING SCREW Zinc Plated Galvanized CR+3 Zn 20 Mn B4 Steel

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
4,5	4,55	2,68						
5,5	4,40	2,59						
6,5	3,64	2,14	2,73	3,57	5,18			
9,5	4,19	2,46	3,03	3,32	4,32	5,27	9,82	14,28
13	4,49	2,64	3,43	3,93	4,63	5,73	8,03	13,39
16	5,16	3,03	3,84	4,51	5,18	6,52	9,04	12,39
19	5,53	3,25	4,39	5,09	5,61	7,31	9,68	13,52
22	6,28	3,69	4,65	5,49	6,25	8,07	10,10	14,38
25	6,68	3,93	5,14	6,05	6,85	8,86	10,81	15,78
32		4,46	5,96	7,04	7,82	10,54	12,85	15,91
38				7,61	8,86	11,73	14,39	20,36
45					9,89	12,66	15,62	23,14
50					10,94	13,60	17,05	25,03
60						16,16	19,64	27,68
70						18,74	23,22	30,36
80						22,76	26,79	33,74
90						26,42	30,36	38,39
100						30,36	35,53	42,85

DIN 7976 (ISO 1479) - DIN 6928 (ISO 7053) Zinc Plated Galvanized

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
4,5	4,40	2,59						
5,5	4,25	2,50						
6,5	3,52	2,07	2,64	3,45	5,00			
9,5	4,05	2,38	2,93	3,21	4,17	5,09	9,49	13,80
13	4,34	2,55	3,31	3,80	4,47	5,54	7,76	12,94
16	4,99	2,93	3,71	4,36	5,00	6,30	8,73	11,97
19	5,34	3,14	4,24	4,92	5,42	7,06	9,35	13,06

22	6,07	3,57	4,49	5,30	6,04	7,80	9,76	13,89
25	6,45	3,80	4,97	5,85	6,62	8,56	10,44	15,25
32		4,31	5,76	6,80	7,56	10,18	12,42	15,37
38				7,35	8,56	11,33	13,90	19,67
45					9,56	12,23	15,09	22,36
50					10,57	13,14	16,47	24,18
60						15,61	18,98	26,74
70						18,11	22,43	29,33
80						21,99	25,88	32,60
90						25,53	29,33	37,09
100						29,33	34,33	41,40

FURNITURE WOOD SCREW Zinc Plated Galvanized CR+3 Zn 20 Mn B4 Steel

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	40	45	50	55	60
7	7,00	7,30	7,60	8,90	9,00



FURNITURE SOCKET WOOD NUT

Zinc Plated Galvanized CR+3 Zn

Size	12	17
6	18,00	25,00

FURNITURE SOCKET HEAD WOOD SCREW Zinc Plated Galvanized CR+3 Zn 20 Mn B4 Steel

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	20	25	30	35	40	45
6	7,00	7,30	7,60	8,90	9,00	10,60
Size	**50**	**55**	**60**	**65**	**70**	**80**
6	10,70	12,60	12,70	14,70	14,80	16,80



CHIPBOARD SCREW DIN 7505 Zinc Plated Galvanized CR+3 Zn 20 Mn B4 Steel

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	2,5	3	3,5	4	4,5	5	6
13		1,11	1,22				
16		1,16	1,26	1,83			
18			1,43	1,92			
20		1,39	1,69	2,01			
25		1,59	1,75	2,38	3,53		
30		1,83	2,06	2,70	4,00	4,59	
35		2,10	2,46	3,10	4,20	5,20	
40		2,52	2,70	3,52	4,78	5,55	
45			3,20	3,83	5,25	6,25	
50			3,38	3,97	5,80	6,95	10,40
60				5,40	8,00	7,90	12,40
70				6,60		9,90	14,00
80						11,50	16,90
90						15,00	19,90
100						17,30	20,60
120							26,60
140							36,00
150							40,00

SELF DRİLLİNG SCREW DIN 7504 N (ISO 14581) - DIN 7504 P (ISO 14582) - DIN 7404 Q (ISO 15483) - DIN 7504 K (ISO 15480)

Zinc Plated Galvanized CR+3 Zn (Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	DIN 7504-P ISO 14581 6 MM	DIN 7504-P ISO 14582 6 MM
3.9 x 13	2,46	1,85
3.9 x 16	2,72	2,12
3.9 x 19	2,95	2,53
3.9 x 22	3,34	2,84
3.9 x 25	3,72	3,21
3.9 x 32	4,51	3,91
3.9 x 38	5,29	4,65
4.2 x 13	3,20	2,29
4.2 x 16	3,64	2,75
4.2 x 19	4,00	3,11
4.2 x 22	4,55	3,52
4.2 x 25	4,95	4,10
4.2 x 32	5,90	4,89
4.2 x 38	6,62	5,99
4.2 x 45	7,45	6,72
4.2 x 50	8,41	7,52
4.2 x 60	12,00	8,80
4.2 x 70	17,00	14,00
4.2 x 80	19,00	16,00
4.8 x 13	4,50	3,70
4.8 x 16	4,80	3,79
4.8 x 19	5,15	4,56
4.8 x 22	5,95	4,89
4.8 x 25	6,45	5,25
4.8 x 32	7,57	6,87
4.8 x 38	8,60	7,85
4.8 x 45	9,90	9,10
4.8 x 50	11,03	9,87
4.8 x 60	12,70	11,62
4.8 x 70	14,70	13,26
4.8 x 80	16,50	15,18
4.8 x 90	18,00	18,70
4.8 x 100	20,00	20,00

Size	DIN 7504-K ISO 14580 6 mm	DIN 7504-K ISO 14580 12 mm
4.2 x 16	12,37	
4.2 x 19	13,13	
4.8 x 16	10,80	
4.8 x 19	11,30	
4.8 x 25	12,69	
4.8 x 32	13,73	
5.5 x 25	13,92	
5.5 x 32	16,60	
5.5 x 38	18,05	
5.5 x 50	21,08	
5.5 x 60	24,08	
5.5 x 75	35,00	
6.3 x 25	20,60	
6.3 x 32	23,00	
6.3 x 38	25,20	
6.3 x 50	28,90	
6.3 x 60	33,10	
6.3 x 66	39,00	
6.3 x 75	59,00	
6.3 x 80	75,00	

CONCRETE SCREW

Size	
7.5 x 60	16,00
7.5 x 80	20,00
7.5 x 100	25,00
7.5 x 120	30,00
7.5 x 150	40,00
7.5 x 180	82,50
7.5 x 200	93,00

Flat Serrated Head with Wings Self-drilling Screw

Size	
6.3 x 60	30,50
6.3 x 70	36,00
6.3 x 80	40,00

SQUARE PAN SELF DRİLLİNG SCREW Zinc Plated Galvanized CR+3 Zn

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black +Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	3,5	3,9	4,2	4,8	5,5
6,5	2,64	3,45	5,00		
9,5	2,93	3,21	4,17	5,09	9,49
13	3,31	3,80	4,47	5,54	7,76
16	3,71	4,36	5,00	6,30	8,73
19	4,24	4,92	5,42	7,06	9,35
22	4,49	5,30	6,04	7,80	9,76
25	4,97	5,85	6,62	8,56	10,44
32	5,76	6,80	7,56	10,18	12,42
38		7,35	8,56	11,33	13,90
45			9,56	12,23	15,09

SQUARE FLAT SELF DRİLLİNG SCREW Zinc Plated Galvanized CR+3 Zn

(Alternative CR+3 Blue - Cr+3 Yellow- Cr+3 Black +Cr+3 ZnNi Blue -Cr+3 ZnNi Black)

Size	3,5	3,9	4,2	4,8	5,5
6,5	2,51	3,28	4,75		
9,5	2,78	3,05	3,96	4,84	9,02
13	3,14	3,61	4,25	5,26	7,37
16	3,52	4,14	4,75	5,99	8,29
19	4,03	4,67	5,15	6,71	8,88
22	4,27	5,04	5,74	7,41	9,27
25	4,72	5,56	6,29	8,13	9,92
32	5,47	6,46	7,18	9,67	11,80
38		6,98	8,13	10,76	13,21
45			9,08	11,62	14,34

50	10,57	13,14	16,47
60		15,61	18,98
70		18,11	22,43
80		21,99	25,88
90		25,53	29,33
100		29,33	34,33

50	10,04	12,48	15,65
60		14,83	18,03
70		17,20	21,31
80		20,89	24,59
90		24,25	27,86
100		27,86	32,61

HEXEGONAL ROFFING SCREW - CRROSS TAP DRILLING SCREW -TRUSS DRİLLİNG SCREW - DRYWALL SCREW - NİPPLE SCREW -ROFFING SCREW

Zinc Plated Galvanized CR+3 Zn (Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	HEXEGONAL SELF DRILLING ROOFING SCREW 6 mm	12 mm
5.5 x 66	17,70	22,70
5.5 x 75	21,60	27,80
5.5 x 90	24,20	33,30
5.5 x 105	28,50	35,50
5.5 x 120	29,80	38,00
5.5 x 135	40,90	43,40
5.5 x 140	41,90	44,00
5.5 x 145	49,30	52,30
5.5 x 155	56,50	60,90
5.5 x 165	70,50	84,70
5.5 x 175	80,00	89,40
5.5 x 180	83,60	92,50
5.5 x 190	89,50	96,90
5.5 x 200	99,90	112,20

Size	CROSS TAP SELF DRILLING SCREW
3.9 x 13	
3.9 x 16	
3.9 x 19	
3.9 x 22	
3.9 x 25	
4.2 x 13	
4.2 x 16	
4.2 x 19	
4.2 x 22	
4.2 x 25	
4.2 x 32	
4.8 x 16	
4.8 x 19	
4.8 x 22	
4.8 x 32	
4.8 x 38	

Size	TRUSS PAN SELF DRILLING SCREW
3.9 x 13	
3.9 x 16	
4.2 x 13	
4.2 x 17	
4.2 x 20	
4.2 x 25	
4.2 x 30	

Size	ROOFING SCREW
6.3 x 35	15,30
6.3 x 45	16,90
6.3 x 60	19,80
6.3 x 75	21,70
6.3 x 90	27,10
6.3 x 105	29,00
6.3 x 115	29,80
6.3 x 125	35,00
6.3 x 135	39,10
6.3 x 145	42,20
6.3 x 155	84,70
6.3 x 165	94,90



PLASTIC BUTTERFLY TOOGLE ANCHOR
SCREW LENGTH 4X40/4X50

Size	29	37
	6,39	6,67

PLASTIC GAS CONCRETE ANCHOR

Size	M8	M10

Size	DRYWALL SCREW DIN 18182 FROM TN-E
3.5 x 25	2,50
3.5 x 35	3,30
3.5 x 45	4,12

Size	HEXEGONAL SELF DRILLING ROOFING SCREW
4.8 x 20	10,00

PLASTIC DRYWALL ANCHOR

Size	42-20	

METAL DRYWALL ANCHOR

Size	42-20	

Size	DRYWALL SCREW DIN 18182 FROM TN-D
3.5 x 25	2,50
3.5 x 35	3,30
3.5 x 45	4,12



Size	SADDLE WASHER
20 x 45 AL	10,00
42 x 45 AL	10,00
20 x 45 GAL	10,00
42 x 45 GAL	10,00
20 x 45 PN	15,00
42 x 45 PN	15,00



Size	DRYWALL SCREW DIN 18182 FROM TB-F
3.5 x 25	3,20
3.5 x 35	4,12
3.5 x 45	5,22

Size	NİPPLE SCREW
6,5/10,5/4,2	
7,3/10,8/4,2	



SOCKET SET SCREW DIN 916 (ISO 4029) 14.9 Quality

Zinc Plated Galvanized CR+3 Zn (Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16
3	1,86	1,79							
4	2,20	1,88	2,20						
5	2,60	1,94	2,38	3,04					
6	3,00	2,69	2,83	3,32	5,13				
8	4,05	3,46	3,71	3,83	6,07	8,98	18,68		
10	4,18	4,22	4,57	4,77	7,89	11,43	20,30		
12	5,67	5,74	5,74	6,62	10,65	16,26	26,00	47,00	48,70
16	9,26	7,27	7,27	9,10	13,69	21,05	32,71	48,01	64,00
20	11,75	14,40	12,40	10,90	17,52	27,09	42,28	62,75	83,60
25	14,85	15,20	14,96	13,60	21,37	33,12	51,85	77,50	103,80
30		16,24	17,60	16,70	25,13	39,15	61,42	92,20	124,00
35		18,41	20,70	28,00	38,00	51,97	70,99	112,00	144,00
40				32,48	46,98	69,00	105,00	136,40	178,00
45					68,44	104,52	138,00	165,90	261,00
50							183,00	212,28	

HEXEGON HEAD WOOD SCREW DIN 571 Zinc Plated Galvanized

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

mm	6	8	10	12
30	9,15			
40	11,33	16,06	28,08	70,20
50	12,94	18,38	30,77	76,93
60	14,75	20,73	34,77	86,93
70	17,06	23,42	38,33	95,83
80	19,08	26,75	41,25	103,13
90	21,27	29,21	46,81	117,03
100	24,75	31,44	49,04	122,60
110	25,65	34,33	56,63	141,58
120	32,33	39,02	59,08	147,70
130	37,90	46,81	72,46	181,15
140	40,13	53,50	81,38	203,45
150	43,48	61,31	92,52	231,30
160		76,92	102,54	256,35
180		86,94	120,38	300,95
200		98,08	130,42	326,05

CARRIAGE BOLTS DIN 603 Zinc Plated Galvanized

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

(Hop Dip Galvanized-Geomet 321-500-Dacromed-Delta-Tone-Protek KL 100-Black)

mm	M 6	M 8	M 10	M 12	M 16
16	13,10	23,85			
20	14,05	25,80	44,70	78,05	214,64
25	15,38	29,20	48,50	82,70	227,43
30	16,70	32,15	51,90	89,00	244,75
35	18,60	34,15	56,65	95,20	261,80
40	19,94	37,40	61,20	105,30	289,58
50	23,35	42,70	70,50	125,00	343,75
60			94,50	158,00	434,50
70				162,00	445,50
80				166,00	456,50
90					600,00
100					750,00
120					
140					
150					

CONCRETE ANCHOR BOLT

Size	
M 8 x 75	58,50
M 10 x 90	102,00
M 12 x 110	170,00
M 16 x 145	405,00
M 24 x 180	780,00

Expansion Bolt Sleeve Anchors

Size	
M 6 x 65	36,18
M 8 x 75	52,25
M 10 x 85	82,27
M 12 x 90	112,55
M 14 x 110	241,17
M 16 x 120	308,17

SLEEVE ANCHOR BOLT

Size	
M 6 x 45	18,38
M 6 x 65	25,99
M 8 x 55	30,28
M 8 x 75	36,18
M 10 x 70	57,61
M 10 x 85	62,17
M 10 x 110	83,07
M 12 x 90	104,51
M 12 x 110	127,29

FİXED HOOK ANCHOR BOLT FİXED EYE ANCHOR BOLT

Size	
M 6 x 45	78,00
M 6 x 65	90,00
M 8 X 60	141,00
M 10 X 90	231,00

FURNITURE ANCHOR BOLT

Size	
M 6 x 45	

PLASTIC WALL ANCHORS

Size	
6mm	1,08
7mm	1,22
8mm	1,25
10mm	2,50
12mm	6,67
14mm	6,67

PLASTIC WALL ANCHORS

Size	
8mm	3,61
10mm	5,14
12mm	11,12

Heavy Duty Fixing Anchor

Size	
M 6 (S)	18,00
M 8 (S)	24,00
M 10 (S)	38,00
M 12 (S)	63,50
M 14 (S)	123,00
M 16 (S)	224,00
M 220 (S)	398,00

Flat Head Splined Large Rivet Nuts

Size	
M 3	
M 4	10,00
M 5	11,04
M 6	13,98
M 8	20,02
M 10	29,13
M 12	

Flat Head Rivet Nuts

Size	
M 3	
M 4	10,00
M 5	11,04
M 6	13,98
M 8	20,02
M 10	29,13
M 12	

Concrete Drop-In Anchor

Size	
M 6	16,90
M 8	20,60
M 10	38,00
M 12	85,00
M 14	147,00
M 16	180,00
M 20	595,00

Flat Head Hexagon Large Rivet Nuts

Size	
M 3	
M 4	10,00
M 5	11,48
M 6	14,41
M 8	20,63
M 10	30,62
M 12	

Flat Head Hexagon Rivet Nuts

Size	
M 3	
M 4	10,00
M 5	11,48
M 6	14,41
M 8	20,63
M 10	30,62
M 12	

Connecting Furniture Screw

Size	
M 6 X 30	7,10
M 6 X 40	8,40
M 6 X 60	11,20
M 6 X 80	17,40
M 6 NUT	5,70

THREADED ROD DIN 975 - DIN 976 (Alternative CR+3 Blue - Cr+3 Yellow)

Alternative (-Hop Dip Galvanized-Geomet 321-500-Dacromed-Delta-Tone-Protek KL 100)

Size	WEIGHT 1000 mm	1.000mm BLACK	1.000mm CR+3 ZN	Size	WEIGHT 1000 mm	1.000mm BLACK	1.000mm CR+3 ZN
mm		6.8 Quality	6.8 Quality	mm		6.8 Quality	6.8 Quality
M 5	120,00	83,00	90,00	3/16	120,00	86,00	92,00
M 6	177,00	100,00	110,00	1/4	180,00	110,00	119,00
M 8	302,00	155,00	171,00	5/16	285,00	147,00	162,00
M 10	480,00	247,00	272,00	3/8	440,00	228,00	250,00
M 12	700,00	352,00	396,00	7/16	590,00	305,00	335,00
M 14	970,00	490,00	547,00	1/2	780,00	398,00	443,00
M 16	1.300,00	664,00	736,00	9/16	1.000,00	505,00	555,00
M 18	1.600,00	840,00	917,00	5/8	1.250,00	640,00	709,00
M 20	2.000,00	1.045,00	1.146,00	3/4	1.800,00	945,00	1.040,00
M 22	2.500,00	1.300,00	1.433,00	7/8	2.500,00	1.300,00	1.433,00
M 24	3.000,00	1.570,00	1.719,00	1"	3.265,00	1.700,00	1.875,00
M 27	3.850,00	2.000,00	2.206,00				
M 30	4.500,00	2.350,00	2.579,00				
M 33	5.550,00	2.900,00	3.173,00				
M 36	6.725,00	3.580,00	3.940,00				

Blind Rivet DIN 7337

Size	
M3X6	2,86
M3X8	2,99
M3X10	3,15
M3X12	3,27
M3X15	3,54
M4X6	3,15
M4X8	3,35
M4X10	3,47
M4X12	3,56
M4X15	3,78
M4X18	4,23
M4X20	4,59
M4X25	5,31
M5X8	4,29
M5X10	4,44
M5X12	4,75
M5X15	5,10
M5X18	5,49
M5X20	5,91
M5X25	7,30

UNC - UNF BOLT 8,8 Quality

INCH	Size	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4	7/8	1"
5/8	15,88	8,66	14,90	22,66							
3/4	19,05	9,30	15,53	24,36	31,14	48,48					
7/8	22,23	9,76	16,53	25,30	32,14	51,83					
1"	25,40	10,68	17,94	25,87	36,03	55,17	74,31	101,47			
1 1/4	31,75	12,74	19,98	31,43	40,80	60,98	77,21	106,76	175,63		
1 1/2	38,10	15,16	23,25	35,46	48,01	66,20	85,82	116,85	217,24		
1 3/4	44,45	17,53	26,69	39,82	54,09	74,49	96,16	128,23	193,01		
2"	50,80	19,83	29,80	43,97	60,81	83,60	105,85	140,99	205,68	369,77	529,44
2 1/2	63,50	24,71	36,60	53,92	71,50	98,54	127,02	166,72	241,44	430,68	577,76
3"	76,20	31,41	44,97	61,70	83,95	117,73	147,88	193,02	272,26	489,53	661,80
3 1/2	88,90		56,48	75,63	95,93	134,40	172,25	221,82	309,98	550,45	739,54
4"	101,60		66,23	86,68	110,11	145,94	195,09	249,18	346,57	613,49	819,36
4 1/2	114,30		75,64	99,51	120,33	166,42	253,16	275,67	376,33	672,31	899,20
5"	127,00		89,52	109,45	158,40	216,40	278,38	374,21	416,57	735,32	976,93
5 1/2	139,70			119,82	173,33	235,29	320,19	409,68	454,82	794,16	1.060,98
6"	152,40					275,00	346,65	443,31	502,25	892,91	1.138,70
6 1/2	165,10					350,00	400,00	520,00	517,71	1.020,00	1.320,00
7"	177,70					353,39	401,30	524,17	565,76	1.025,26	1.323,59
7 1/2	190,50						450,00	620,00	595,90	1.140,00	1.400,00
8"	203,20						451,70	623,97	735,32	1.147,12	1.408,19

SOCKET HEAD CAP SCREW DIN 7984 8,8 Quality

Size	M 5	M 6	M 8	M 10	M 12
10		10,10			
12		10,18			
14	8,96	9,50			
16	9,03	9,61	18,68	37,23	

Socket Head Button Flange ISO 7380 10,9 Quality Zinc Plated Cr+3 Zn

Size	M 3	M 4	M 5	M 6	M 8
8	0,00	11,31	0,00		
10	0,00	11,40	0,00		
12	10,04	10,64	0,00	0,00	0,00
16	10,11	10,76	20,92	41,70	0,00

20	9,81	10,28	19,49	33,83	51,33
25	11,23	11,96	20,64	35,24	49,86
30	13,29	13,99	23,52	37,51	53,19
35	15,21	16,03	27,05	40,96	57,57
40	17,14	18,08	33,08	44,96	63,54
45	19,83	21,49	39,39	49,33	75,54
50	27,64	25,40	45,82	54,87	83,57
55			51,72	66,70	99,00
60			58,14	74,53	114,58
65					140,62
70					174,25
80					224,01
90					263,16
100					299,00

20	10,99	11,51	21,83	37,89	57,49
25	12,58	13,40	23,12	39,47	55,84
30	14,88	15,67	26,34	42,01	59,57
35		17,95	30,30	45,88	64,48
40		20,25	37,05	50,36	71,16
45			44,12	55,25	84,60
50			51,32	61,45	93,60
55					110,88
60					128,33
70					
80					
90					
100					

HEXAGONAL SOCKET BUTTON HEAD SCREWS ISO 7380 10,9 QUALITY

Size	M 3	M 4	M 5	M 6	M 8	M 10	M 12
8	10,32	10,14	13,33				
10	10,32	8,12	9,04				
12	10,32	8,46	8,53	11,47	27,00		
16	11,56	8,83	8,87	10,85	21,45	48,76	
20	12,68	10,14	10,45	11,49	22,37	39,39	69,24
25	14,45	11,65	12,48	12,05	23,75	41,14	70,44
30	17,27	14,64	14,44	14,20	26,07	43,87	74,30
35		17,65	16,44	15,95	28,77	46,04	80,84
40		20,66	19,47	17,86	31,13	51,01	87,38
45			26,38	22,24	35,32	58,75	96,56
50			31,98	27,99	41,55	64,51	106,33
55					50,81	76,43	119,56
60					62,27	88,32	138,00
70						106,93	162,41

THREAD ROLLING SCREW DIN 7500 C-E-M-N 10,9 Quality

Size	M 3	M 4	M 5	M 6	M 8
6					
8					
10					
12					
14					
16					
18					
20					
25					
30					
35					
40					
45					
50					

SPECIAL OFFER!

ÖZEL TEKLİF
ÖZEL FİYAT



TAPTITE ÜÇGEN KLAVUZLU VİDA DIN 7500 D VE ÖZEL KAFALI TAPTİTE VİDALAR 10,9 Quality

Size	M 3	M 4	M 5	M 6	M 8
6					
8					
10					
12					
14					
16					
18					
20					
25					
30					
35					
40					
45					
50					

SPECIAL OFFER!

ÖZEL TEKLİF
ÖZEL FİYAT



THREAD - CUTTING SCREWS DIN 7513 A - B - F - G 10,9 QUALITY

Size	M 3	M 4	M 5	M 6	M 8
6					
8					
10					
12					
14					
16					
18					
20					
25					
30					
35					
40					
45					
50					

SPECIAL OFFER!

ÖZEL TEKLİF
ÖZEL FİYAT

THREAD - CUTTING SCREWS DIN 7516 A-D-E 10,9 QUALITY

Size	M 3	M 4	M 5	M 6	M 8
6					
8					
10					
12					
14					
16					
18					
20					
25					
30					
35					
40					
45					
50					

SPECIAL OFFER!

ÖZEL TEKLİF
ÖZEL FİYAT

HILO SCREW 10.9 QUALITY

Size	M 2	M 2,5	M 3	M 3,5	M 4	M 5	M 6	M 8
4								
5								
6								
8								
10								
12								
16								
18								
20								
25								
30								
35								
40								
45								
50								
55								
60								
65								
70								
75								
80								
85								
90								
95								
100								

SPECIAL OFFER!

ÖZEL TEKLİF
ÖZEL FİYAT



PLASTITE THREAD ROLLING SCREW 10.9 QUALITY

Size	M 2	M 2,5	M 3	M 3,5	M 4	M 5	M 6	M 8
4								
5								
6								
8								
10								
12								
16								
18								
20								
25								
30								
35								
40								
45								
50								
55								
60								
65								
70								
75								
80								
85								
90								
95								
100								

SPECIAL OFFER!

ÖZEL TEKLİF
ÖZEL FİYAT

Size	DIN 471	Size	DIN 471	Size	DIN 471	Size	DIN 471	Size	DIN 471	Size	DIN 471
4	2,48	17	10,73	30	31,82	47	95,83	72	183,81	135	1.090,00
5	2,48	18	13,19	31	43,21	48	95,83	75	183,81	140	1.140,00
6	3,31	19	14,85	32	43,21	50	99,37	80	198,75	150	1.310,00
7	4,12	20	15,71	34	45,96	52	95,83	85	257,66	160	1.520,00
8	4,12	21	18,14	35	45,96	52	95,83	90	287,11	170	2.280,00
9	4,95	22	18,97	36	59,00	55	99,37	95	316,56	180	2.700,00
10	4,95	23	21,45	37	58,92	58	125,30	100	353,49	190	2.850,00
11	5,78	24	21,45	38	58,92	60	110,36	105	832,45	200	3.300,00
12	5,78	25	23,09	39	58,92	62	123,72	110	832,45	210	8.000,00
13	7,45	26	26,40	40	64,00	65	156,00	115	915,08	220	8.010,00
14	7,45	27	26,40	42	73,83	67	183,81	120	872,80	230	8.800,00
15	8,64	28	30,09	44	80,92	68	183,81	125	915,08	240	9.000,00
16	9,90	29	31,82	45	80,92	70	169,68	130	1.000,00	250	9.450,00

Size	DIN 472	Size	DIN 472	Size	DIN 472	Size	DIN 472	Size	DIN 472	Size	DIN 472
4	4,12	17	7,45	30	25,54	47	58,92	72	142,58	135	717,67
5	4,12	18	8,26	31	27,10	48	64,81	75	146,89	140	744,77
6	4,12	19	9,03	32	27,21	50	60,88	80	154,75	150	871,82
7	4,12	20	9,03	34	31,43	52	69,91	85	200,71	160	1.092,00
8	4,12	21	11,55	35	34,16	52	66,38	90	212,87	170	1.700,00
9	4,12	22	11,55	36	34,57	55	69,91	95	232,12	180	2.200,00
10	4,95	23	16,00	37	36,92	58	80,92	100	247,44	190	2.400,00
11	4,95	24	16,50	38	40,84	60	95,83	105	472,92	200	2.550,00
12	4,95	25	17,29	39	42,42	62	88,38	110	508,52	210	6.200,00
13	4,95	26	18,97	40	44,77	65	88,38	115	553,03	220	6.210,00
14	5,78	27	20,61	42	51,45	67	123,72	120	568,80	230	6.230,00
15	5,78	28	22,26	44	57,34	68	145,00	125	613,31	240	6.300,00
16	6,59	29	23,96	45	62,84	70	146,89	130	657,80	250	6.800,00

RETAINING WASHER DIN 6799

Size		Size		Size	
0,8	1,95	4	2,16	10	10,73
1,2	1,85	5	2,86	12	14,85
1,5	1,45	6	3,54	15	32,20
1,9	1,37	7	4,72	19	44,56
2,3	1,58	8	6,59	24	71,34
3,2	1,73	9	8,26	30	285,00



SELF TAPPING SOCKET SCREW

(Alternative CR+3 Blue - Cr+3 Yellow - Cr+3 Black + Cr+3 ZnNi Blue - Cr+3 ZnNi Black)

Size	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
13								
16								
19								
22								
25								
32								
38								
45								
50								
55								
60								
65								
70								
75								
80								
85								
90								
95								
100								

SPECIAL OFFER!

ÖZEL TEKLİF
ÖZEL FİYAT

WELD BOLTS

Size	M 4	M 5	M 6	M 8	M 10
8					
10					
12					
16					
20					
25					
30					
35					
40					
45					
50					

SPECIAL OFFER!

ÖZEL TEKLİF
ÖZEL FİYAT

STAINLESS STEEL AISI 304 A2 70 / AISI 316 A4 80 QUALITY

DIN 931 (ISO 4014 EN 24014) - DIN 933 (ISO 4017 EN 24017) AISI 304 A2 70 Quality

Size	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22	M 24
10	11,50	13,00	17,80	38,00								
12	12,40	14,20	19,00	41,50								
16	14,60	16,50	21,30	46,40	83,95							
20	15,50	19,00	25,00	51,25	88,50	130,00	220,00					
25	18,00	22,00	27,75	58,00	102,00	143,00	250,00	310,00				
30	20,50	25,00	31,30	64,60	109,50	158,10	266,00	338,00				
35	23,00	28,00	34,87	71,50	120,00	173,20	289,00	366,00				
40	28,00	31,00	38,45	78,00	130,00	188,30	312,00	378,00		600,00		
45	30,00	34,00	42,10	84,60	141,00	203,40	335,00	405,00		640,00		
50	33,00	37,00	45,85	91,00	151,00	218,10	358,00	430,00	625,00	680,00	1.000,00	1.150,00
60		50,00	53,00	104,50	178,00	244,10	402,50	490,00	705,00	760,00	1.100,00	1.300,00
70		57,00	60,00	117,50	193,50	278,40	450,00	542,00	780,00	845,00	1.200,00	1.400,00
80		70,00	68,00	131,30	214,00	308,60	491,00	600,00	860,00	920,00	1.300,00	1.520,00
90			75,00	145,00	235,00	338,80	537,00	655,00	950,00	1.000,00	1.400,00	1.650,00
100			83,00	158,00	256,00	369,00	584,00	710,00	1.000,00	1.080,00	1.500,00	1.770,00
110			105,00	220,00	375,00	525,00	750,00	970,00	1.200,00	1.400,00	1.900,00	2.200,00
120			112,20	234,00	410,00	570,00	800,00	1.050,00	1.300,00	1.500,00	2.200,00	2.400,00
130			121,00	240,00	440,00	620,00	860,00	1.130,00	1.400,00	1.600,00	2.300,00	2.500,00
140				252,00	470,00	670,00	900,00	1.200,00	1.800,00	1.700,00	2.350,00	2.650,00
150				262,00	500,00	710,00	950,00	1.300,00	1.950,00	1.750,00	2.450,00	2.850,00
160								1.350,00	2.500,00	2.000,00	2.800,00	3.000,00
170								1.450,00	2.700,00	2.200,00	3.100,00	3.250,00
180								1.550,00	2.900,00	2.400,00	3.200,00	3.450,00
190								1.700,00	3.100,00	2.600,00	3.600,00	3.800,00
200								1.800,00	3.200,00	2.650,00	3.800,00	4.000,00

DIN 912 (ISO 4762) AISI 304 A2 70 QUALITY

Size	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M24
6	5,70											
8	6,40	11,00	14,50									
10	7,00	10,60	14,00	19,00	45,00							
12	7,60	11,50	14,40	20,50	48,00							
16	9,20	13,20	17,00	23,00	52,10	83,00						
20	11,00	15,55	19,50	26,00	54,00	95,00	127,10					
25	13,00	18,55	23,00	31,00	62,00	105,00	141,30		330,00			
30	15,00	21,55	27,00	33,00	69,00	112,00	155,55	225,00	345,00			
35	17,00	24,52	31,50	40,00	78,00	122,00	170,00	250,00	378,00			
40	19,50	27,45	35,00	44,00	84,00	132,00	184,50	270,00	400,00	700,00	775,90	1.500,00
45	21,70	32,00	39,00	48,50	92,00	145,00	199,00	290,00	430,00	800,00	835,00	1.600,00
50	23,50	34,00	42,00	53,00	100,00	156,00	216,00	310,00	470,00	850,00	892,00	1.700,00
60		36,00	55,00	62,00	117,00	182,00	251,50	360,00	522,00	900,00	913,00	1.850,00
70			58,00	71,00	135,00	210,00	283,00	410,00	610,00	950,00	1.010,00	2.050,00
80			85,00	80,00	150,00	232,00	318,00	470,00	680,00	1.100,00	1.130,00	2.300,00
90			90,00	89,00	165,00	257,00	353,00	585,00	745,00	1.200,00	1.245,00	2.550,00
100			100,00	98,00	180,00	283,00	388,00	635,00	820,00	1.300,00	1.355,00	2.700,00
110				152,00	225,00	360,00	510,00	750,00	1.000,00	1.600,00	1.700,00	3.200,00
120				170,00	250,00	400,00	540,00	825,00	1.050,00	1.700,00	1.800,00	3.300,00
130				218,00	300,00	420,00	580,00	900,00	1.150,00	1.900,00	1.950,00	3.850,00
140					320,00	450,00	700,00	980,00	1.200,00	2.000,00	2.100,00	4.200,00
150					340,00	500,00	750,00	1.045,00	1.300,00	2.100,00	2.200,00	4.450,00

DIN 7991 (ISO 10642) AISI 304 A2 70 QUALITY

Size	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 16	M 20
6	4,50								
8	4,70	6,15							
10	4,80	6,95	10,00	14,70	29,00				
12	5,00	8,00	11,00	15,50	32,00				
16	6,30	10,10	12,80	18,90	33,00	69,00			
20	7,50	12,00	15,25	21,00	38,50	64,00	127,00		
25		14,85	18,25	25,00	45,50	73,50	112,00		
30		18,90	20,80	29,00	52,50	87,00	129,00	330,00	750,00
35		22,20	26,10	33,00	60,00	98,00	150,00	375,00	850,00
40		25,50	33,00	41,00	69,00	110,00	164,80	420,00	920,00
50			41,50	52,00	91,20	137,00	197,10	500,00	1.150,00
60			45,50	60,00	114,00	162,00	248,00	585,00	1.350,00
70				63,00	120,00	188,00	292,00	710,00	1.625,00

SOCKET HEAD CAP SCREW DIN 6912 AISI 304 A2-70 Quality

Size	M 5	M 6	M 8	M 10	M 12
8	26,43	36,17			
10	27,13	37,57			
12	27,83	38,96	73,04		
16	29,22	40,35	76,52		
20	29,91	41,04	79,30	146,09	
25	37,57	45,91	87,65	153,04	
30	45,91	50,09	96,00	156,52	233,74
35		58,43	104,35	171,13	270,00
40		67,48	118,26	187,83	271,30
50		81,39	146,09	229,57	299,13
60		96,00	183,65	257,39	354,78
70		125,00	215,65	292,17	410,43

Concrete Drop-In Anchor AISI 304 A2-70 Quality

Size	
M 6	395,00
M 8	540,00
M 10	775,00
M 12	874,00
M 16	1.322,00

Expansion Bolt Sleeve Anchors AISI 304 A2-70 Quality

Size	
M 6	464,00
M 8	593,00
M 10	844,00
M 12	950,00
M 16	1.360,00

HEXAGONAL SOCKET BUTTON HEAD SCREWS ISO 7380 AISI 304 A2-70 Quality

Size	M 3	M 4	M 5	M 6	M 8	M 10	M 12
6	4,08	7,30	10,10				
8	4,25	8,20	11,00	20,00			
10	4,72	8,50	12,00	16,80			
12	5,19	9,85	13,40	16,90	35,50		
16	5,66	10,00	15,00	19,00	40,75	79,25	130,00
20	6,61	13,50	17,70	22,00	44,90	91,30	132,00
25	8,00	14,00	20,00	26,70	48,30	98,50	134,00
30	10,60	18,00	23,00	32,00	60,00	107,15	146,00
35	12,20	23,50	26,50	37,00	65,00	113,60	165,00
40	13,70	24,50	29,00	42,00	72,00	122,25	177,00
50			36,00	50,00	84,00	137,75	210,00
60			40,40	56,62	100,00	153,20	240,00

SOCKET SET SCREW DIN 916 (ISO 4029) AISI 304 A2 70 Quality

Size	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 16
4		4,00	5,40					
5		4,00	5,40					
6	6,00	4,75	5,10	7,00				
8	7,15	6,70	7,40	9,10	14,00			
10	9,20	8,00	9,60	12,00	17,00	25,00		
12	11,30	10,50	12,00	15,00	21,00	32,00	52,00	
16	15,40	14,20	16,40	21,00	29,50	45,00	60,00	
20	20,00	18,00	21,00	27,00	38,00	59,00	78,00	
25		23,40	27,00	34,00	49,00	75,00	100,00	
30			33,00	41,50	60,00	92,00	122,00	270,00
40			39,00	49,00	70,00	110,00	140,00	325,00
50			45,00	56,00	90,00	150,00	212,00	375,00
60							270,00	480,00
70								545,00

Size	DIN 934	DIN 985	DIN 1587	DIN 315	DIN 1624	DIN 557	DIN 6923	DIN 439	DIN 6334	DIN 928	DIN 929
M 3	3,45							4,03			
M 4	4,25	7,40	18,00					4,40			
M 5	5,15	8,00	18,50	40,00	205,00	17,00	15,17	4,96		22,46	18,78
M 6	9,12	11,00	25,00	50,00	236,00	18,00	20,63	7,49	205,00	34,35	21,25
M 8	19,00	23,40	58,00	85,00	350,00	22,00	37,55	13,63	258,00	43,38	44,80
M 10	42,30	49,00	105,00	175,00	547,00	59,00	57,75	29,57	388,00		81,43
M 12	63,10	80,00	148,00	300,00		84,00	106,11	44,16	471,00		116,45
M 14	91,20	136,00	300,00			171,00		70,76			
M 16	121,50	180,00	410,00					89,70			
M 18	200,00	300,00						132,77			
M 20	235,00	350,00						175,49			
M 22	320,00										
M 24	402,00										
M 27	800,00										
M 30	1.100,00										
M 33	1.650,00										
M 36	2.260,00										

Size	DIN 986	DIN 125	DIN 127	DIN 6798-V	DIN 137 B	DIN 9021	Size	
M 3		1,25	0,92	1,92	16,50		5 / 32"	2,50
M 4	48,00	2,05	1,07	1,92	23,10	3,70	3 / 16"	5,75
M 5	56,00	2,30	1,62	2,90	28,60	6,10	1 / 4"	6,67
M 6	72,00	4,04	3,12	3,60	50,60	11,63	5 / 16"	15,08
M 8	160,00	7,58	6,00	6,60	59,40	26,00	3 / 8"	19,04
M 10	332,00	14,45	9,70	12,20	74,80	50,85	7 / 16"	27,95
M 12	495,00	22,20	14,50	15,50	137,50	92,80	1 / 2"	41,89
M 14	878,00	30,45	25,04	27,00	157,30	145,00	9 / 16"	58,20
M 16	1.333,00	40,02	33,50	29,00	200,20	170,65	5 / 8"	67,10
M 18		58,20	37,50		250,80	300,00	3 / 4"	93,90
M 20		60,90	58,00		301,40	320,00	7 / 8"	152,30
M 22		72,85	66,00			500,00	1"	252,00
M 24		114,40	105,00					
M 27		182,70						
M 30		212,20						
M 33		291,00						
M 36		364,50						

Flat Head Splined Large Rivet Nuts
AISI 304 A2-70 Quality

Size	
M 4	102,08
M 5	121,42
M 6	163,95
M 8	197,49
M 10	350,73

Flat Head Rivet Nuts
AISI 304 A2-70 Quality

Size	
M 4	102,08
M 5	121,42
M 6	163,95
M 8	197,49
M 10	350,73
M 10	

BILIND RIVET

Size	
M3X6	12,95
M3X8	14,25
M3X10	15,10
M3X12	17,07
M3X16	21,00
M4X6	19,05
M4X8	22,05
M4X10	24,95
M4X12	26,92
M4X15	29,25
M4X16	29,25
M4X18	29,92
M4X20	32,53
M4X25	32,53
M4X30	32,53
M4X35	32,53

AISI 304 A2-70 Q

Size	
M5X10	34,80
M5X12	37,33
M5X15	38,45
M5X16	39,50
M5X18	42,00
M5X20	47,00
M6X10	55,50
M6X12	60,00
M6X15	66,00
M6X16	74,00
M6X18	75,00
M6X20	79,00
M6X25	105,00
M6X30	118,00
M6X30	131,00
M6X30	138,00

AISI 304 A2-70 Q

Size	
M5X10	34,80
M5X12	37,33
M5X15	38,45
M5X16	39,50
M5X18	42,00
M5X20	47,00
M6X10	55,50
M6X12	60,00
M6X15	66,00
M6X16	74,00
M6X18	75,00
M6X20	79,00
M6X25	105,00
M6X30	118,00
M6X30	131,00
M6X30	138,00

THREAD ROD DIN 975- DIN 976

Size	METRİC
M 4	460,00
M 5	500,00
M 6	701,00
M 8	1.110,00
M 10	1.130,00
M 12	2.520,00
M 14	3.360,00
M 16	4.600,00
M 18	5.750,00
M 20	7.200,00
M 24	10.400,00
M 27	16.500,00
M 30	20.000,00
M 33	25.000,00
M 36	30.000,00

EYE SCREW AISI 304 A2-70 Quality

Size	3 MM	4 MM	4 MM	5 MM	5 MM	6 MM	6 MM
	3X50	4X40	4X65	5X40	5X75	6X50	6X75
	0,51	0,64	1,00	1,03	1,08	1,28	1,57

HOOK SCREW AISI 304 A2-70 Quality

Size	3 MM	4 MM	4 MM	5 MM	5 MM	6 MM	6 MM
	3X50	4X40	4X65	5X40	5X75	6X50	6X75
	0,64	0,86	1,00	1,21	1,57	1,71	2,00

L-HOOK SCREW AISI 304 A2 70 Quality

Size	3 MM	3,5 MM	4 MM	4,5 MM	5 MM		
	30X10	40X10	45X15	50X20	60X20		
	1,14	1,24	1,30	1,40	1,57		

MACHINE SCREW DIN 963 (ISO 2009) AISI 304 A2-70 Quality

Size	M 3	M 4	M 5	M 6	M 8
8	4,56	6,30	11,28		
10	5,42	7,50	12,00	18,24	
12	5,52	8,06	12,48	20,28	
16	6,98	10,26	15,36	24,42	49,20
20	8,47	12,12	18,60	29,28	58,20
25	10,38	14,76	22,80	35,16	70,80
30	12,24	17,64	26,76	41,04	76,80
35		20,28	30,54	47,10	85,20
40		25,20	34,44	53,04	96,00
45		28,56	38,40	60,00	105,60
50		31,20	50,40	66,00	116,40
60			60,00	90,00	156,00
70			78,00	102,00	165,60
80			90,00	116,40	188,40

MACHINE SCREW DIN 84 (ISO 1207)-DIN 85 (ISO 1580) AISI 304 A2-70

Size	M 3	M 4	M 5	M 6	M 8
8	6,00	10,80	20,40	30,00	
10	6,60	10,26	19,20	30,48	
12	7,20	11,40	20,40	32,40	
16	8,40	12,60	22,80	36,72	66,00
20	9,60	13,68	26,40	41,28	84,00
25	12,00	16,44	29,40	46,44	102,00
30	13,80	18,42	33,60	51,00	118,80
35		26,40	38,40	57,12	126,00
40		30,00	42,24	62,40	150,00
45		33,60	54,00	67,20	176,40
50		39,60	55,20	72,60	202,80
60			66,00	84,00	222,00
70			72,00	96,00	246,00
80				105,60	282,00

MACHINE SCREW DIN 965 (ISO 7046) AISI 304 A2-70 Quality

Size	M 3	M 4	M 5	M 6	M 8
8	3,80	5,25	9,40		
10	4,52	6,25	10,00	15,20	
12	4,60	6,72	10,40	16,90	
16	5,82	8,55	12,80	20,35	41,00
20	7,06	10,10	15,50	24,40	48,50
25	8,65	12,30	19,00	29,30	59,00
30	10,20	14,70	22,30	34,20	64,00
35		16,90	25,45	39,25	71,00
40		21,00	28,70	44,20	80,00
45		23,80	32,00	50,00	88,00
50		26,00	42,00	55,00	97,00
60			50,00	75,00	130,00
70			65,00	85,00	138,00
80			75,00	97,00	157,00

MACHINE SCREW DIN 967 (ISO 10683) AISI 304 A2-70 Quality

Size	M 3	M 4	M 5	M 6	M 8
8	5,75	10,35			
10	6,33	9,83	19,55	28,75	
12	6,90	10,93	18,40	16,00	
16	8,05	12,08	19,55	31,05	63,25
20	9,20	13,11	21,85	35,19	80,50
25	11,50	15,76	25,30	39,56	97,75
30	13,23	17,65	28,18	44,51	113,85
35		25,30	32,20	48,88	120,75
40		28,75	36,80	54,74	143,75
45		32,20	40,48	59,80	169,05
50		37,95	51,75	64,40	194,35
60			52,90	69,58	212,75
70			63,25	80,50	235,75
80			69,00	92,00	270,25

MACHINE SCREW DIN 7985 (ISO 7045) AISI 304 A2-70 Quality

Size	M 3	M 4	M 5	M 6	M 8
6	4,50	9,00			
8	5,00	8,55	17,00	25,00	
10	5,50	9,50	16,00	25,40	
12	6,00	10,50	17,00	27,00	
16	7,00	11,40	19,00	30,60	55,00
20	8,00	13,70	22,00	34,40	70,00
25	10,00	15,35	24,50	38,70	85,00
30	11,50	22,00	28,00	42,50	99,00
35		25,00	32,00	47,60	105,00
40		28,00	35,20	52,00	125,00
45		33,00	45,00	56,00	147,00
50		34,00	46,00	60,50	169,00
60			55,00	70,00	185,00
70			60,00	80,00	205,00
80				88,00	235,00

MACHINE SCREW DIN 966 (ISO 7047) AISI 304 A2-70 Quality

Size	M 3	M 4	M 5	M 6	M 8
6	4,95	9,90			
8	5,50	9,41	18,70	27,50	
10	6,05	10,45	17,60	27,94	
12	6,60	11,55	18,70	29,70	
16	7,70	12,54	20,90	33,66	60,50
20	8,80	15,07	24,20	37,84	77,00
25	11,00	16,89	26,95	42,57	93,50
30	12,65	24,20	30,80	46,75	108,90
35		27,50	35,20	52,36	115,50
40		30,80	38,72	57,20	137,50
45		36,30	49,50	61,60	161,70
50		37,40	50,60	66,55	185,90
60			60,50	77,00	203,50
70			66,00	88,00	225,50
80				96,80	258,50

DIN 7981 C - TX AISI 304 A2-70 Quality

Size	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
9,5	4,98	5,10	6,48	8,52	9,24	14,04		
13	6,18	6,30	7,92	9,60	11,10	15,00	32,40	34,80
16	6,72	6,84	8,88	11,04	12,12	16,92	27,00	31,20
19	7,68	7,80	9,96	12,42	13,80	19,20	30,00	35,40
22	8,70	8,83	11,10	13,80	15,24	21,60	32,88	42,00
25			12,24	15,24	16,80	23,04	36,00	42,60
32			14,64	18,10	20,40	27,72	42,54	51,24
38			16,92	20,94	24,00	32,40	48,48	58,80
45					28,20	37,20	55,20	68,40
50					33,00	39,84	60,12	74,40
60						43,80	70,20	87,00
70						50,28	79,80	100,20
80						53,40	90,00	111,72

DIN 7982 C - TX AISI 304 A2-70 Quality

Size	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
9,5	4,56	4,44	4,73	7,32	8,28	15,00		
13	4,32	4,40	5,76	7,25	7,20	13,19	22,20	42,00
16	5,28	5,41	7,32	8,76	8,76	15,84	19,92	39,60
19	6,36	6,42	8,16	10,08	10,08	15,48	22,98	36,00
22	7,32	7,44	9,36	11,60	11,58	17,76	24,00	33,60
25			10,56	13,13	13,02	19,92	29,22	39,72
32			12,96	16,16	16,50	25,20	36,48	47,64
38			15,36	19,20	19,92	30,38	42,72	56,40
45				24,06	23,88	34,14	51,60	66,36
50				28,20	26,52	37,92	59,76	73,56
60				32,40	28,92	45,54	75,84	88,08
70					38,40	58,80	84,00	102,36
80					42,60	67,20	100,80	117,00

DIN 7983 C - TX AISI 304 A2-70 Quality

Size	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
9,5	5,48	5,61	7,13	9,37	10,16	15,44		

13	6,80	6,93	8,71	10,56	12,21	16,50	35,64	38,28
16	7,39	7,52	9,77	12,14	13,33	18,61	29,70	34,32
19	8,45	8,58	10,96	13,66	15,18	21,12	33,00	38,94
22	9,57	9,72	12,21	15,18	16,76	23,76	36,17	46,20
25			13,46	16,76	18,48	25,34	39,60	46,86
32			16,10	19,91	22,44	30,49	46,79	56,36
38			18,61	23,03	26,40	35,64	53,33	64,68
45					31,02	40,92	60,72	75,24
50					36,30	43,82	66,13	81,84
60						48,18	77,22	95,70
70						55,31	87,78	110,22
80						58,74	99,00	122,89

DIN 7981 (ISO 7049) AISI 304 A2-70 Quality

Size	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
5,5	5,75	5,90						
6,5	5,40	5,50	6,50					
7,5	4,85	5,00	6,00					
9,5	4,15	4,25	5,40	7,10	7,70	11,70		
13	5,15	5,25	6,60	8,00	9,25	12,50	27,00	29,00
16	5,60	5,70	7,40	9,20	10,10	14,10	22,50	26,00
19	6,40	6,50	8,30	10,35	11,50	16,00	25,00	29,50
22	7,25	7,36	9,25	11,50	12,70	18,00	27,40	35,00
25			10,20	12,70	14,00	19,20	30,00	35,50
32			12,20	15,08	17,00	23,10	35,45	42,70
38			14,10	17,45	20,00	27,00	40,40	49,00
45					23,50	31,00	46,00	57,00
50					27,50	33,20	50,10	62,00
60						36,50	58,50	72,50
70						41,90	66,50	83,50
80						44,50	75,00	93,10

DIN 7982 (ISO 7050) AISI 304 A2-70 Quality

Size	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
5,5	4,40	4,50						
6,5	4,20	4,30	4,90					
7,5	3,90	4,00	4,50					
9,5	3,80	3,70	3,94	6,10	6,90	12,50		
13	3,60	3,67	4,80	6,04	6,00	10,99	18,50	35,00
16	4,40	4,51	6,10	7,30	7,30	13,20	16,60	33,00
19	5,30	5,35	6,80	8,40	8,40	12,90	19,15	30,00
22	6,10	6,20	7,80	9,67	9,65	14,80	20,00	28,00
25			8,80	10,94	10,85	16,60	24,35	33,10
32			10,80	13,47	13,75	21,00	30,40	39,70
38			12,80	16,00	16,60	25,32	35,60	47,00
45				20,05	19,90	28,45	43,00	55,30
50				23,50	22,10	31,60	49,80	61,30
60				27,00	24,10	37,95	63,20	73,40
70					32,00	49,00	70,00	85,30
80					35,50	56,00	84,00	97,50

DIN 7983 (ISO 7051) AISI 304 A2-70 Quality

Size	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
5,5	6,33	6,49						
6,5	5,94	6,05	7,15					
7,5	5,34	5,50	6,60					
9,5	4,57	4,68	5,94	7,81	8,47	12,87		
13	5,67	5,78	7,26	8,80	10,18	13,75	29,70	31,90
16	6,16	6,27	8,14	10,12	11,11	15,51	24,75	28,60
19	7,04	7,15	9,13	11,39	12,65	17,60	27,50	32,45
22	7,98	8,10	10,18	12,65	13,97	19,80	30,14	38,50
25			11,22	13,97	15,40	21,12	33,00	39,05
32			13,42	16,59	18,70	25,41	39,00	46,97
38			15,51	19,20	22,00	29,70	44,44	53,90
45					25,85	34,10	50,60	62,70
50					30,25	36,52	55,11	68,20
60						40,15	64,35	79,75
70						46,09	73,15	91,85
80						48,95	82,50	102,41

SQUARE PAN HEAD TAPPING SCREW AISI 304 A2 70 Quality

Size	3,9	4,2	4,8	5,5	6,3
9,5					
13					
16					
19					
22					
25					
32					
38					
45					
50					

SPECIAL OFFER!
ÖZEL TEKLİF
ÖZEL FİYAT

SQUARE FLAT HEAD TAPPING SCREW AISI 304 A2 70 Quality

Size	3,9	4,2	4,8	5,5	6,3
9,5					
13					
16					
19					
22					
25					
32					
38					
45					
50					

SPECIAL OFFER!
ÖZEL TEKLİF
ÖZEL FİYAT

PAN SELF DRİLLİNG SCREW DIN 7504 M AISI 304 A2 70 Quality

Size		3,9	4,2	4,8	5,5
13		10,50	12,50		
16		11,00	14,00	24,00	48,00
19		12,50	16,00	22,50	45,00
22		13,80	18,00	24,50	49,00
25		15,50	19,50	27,00	52,00
32		19,00	23,50	34,00	68,00
38			27,00	36,00	72,00
45					93,00
50					117,00

FLAT SELF DRİLLİNG SCREW DIN 7504 O AISI 304 A2 70 Quality

Size		3,9	4,2	4,8	5,5
13		8,25	11,90		
16		9,40	12,00	19,00	40,00
19		11,20	13,50	19,30	43,00
22		12,00	15,25	20,60	45,00
25		14,00	17,40	22,80	49,00
32		18,00	20,50	29,00	64,00
38			25,00	33,20	69,00
45					89,00
50					113,00

SQUARE PAN SELF DRİLLİNG SCREW DIN 7504 AISI 304 A2 70 Quality

Size	3,5	3,9	4,2	4,8	5,5
6,5					
9,5					
13					
16					
19					
22					
25					
32					
38					

SPECIAL OFFER!
ÖZEL TEKLİF
ÖZEL FİYAT

SQUARE FLAT SELF DRİLLİNG SCREW DIN 7504 AISI 304 A2 70 Quality

Size	3,5	3,9	4,2	4,8	5,5
6,5					
9,5					
13					
16					
19					
22					
25					
32					
38					

SPECIAL OFFER!
ÖZEL TEKLİF
ÖZEL FİYAT

45	
50	

45	
50	

CHIPBOARD SCREW DIN 7505 - DIN 7997 AISI 304 A2-70 Quality

Size	3	3,5	4	4,5	5	6
16	4,90	4,75				
20	5,50	6,00	8,20	11,80		
25	6,25	6,83	10,00	12,20		
30	6,85	8,53	11,00	14,50	18,70	28,50
35	8,10	10,20	11,80	16,60	20,20	32,50
40	9,00	12,00	14,50	18,20	22,50	35,70
45			15,60	19,60	24,50	38,15
50			18,00	20,60	27,00	42,36
60			21,80	26,00	31,20	49,00
70			25,50	28,50	35,80	57,25
80				35,13	47,00	77,00
90					54,00	88,00
100					60,00	101,00
120						108,00
150						150,00

HEXEGONAL SELF-DRILLIN SCREW AISI 304 A2 70 DIN 7504 K

Size	4,8	5,5	6,3
16			
22			
25			
32			
38			
45			
50			
60			
66			
75			
80			
90			
100			

CHIPBOARD SCREW DIN 7505 C - TX AISI 304 Quality

Size	3	3,5	4	4,5	5	6
16	5,88	5,70				
20	6,60	7,20	9,84	14,16		
25	7,50	8,20	12,00	14,64		
30	8,22	10,24	13,20	17,40	22,44	34,20
35	9,72	12,24	14,16	19,92	24,24	39,00
40	10,80	14,40	17,40	21,84	27,00	42,84
45			18,72	23,52	29,40	45,78
50			21,60	24,72	32,40	50,83

SELF TAPPING SCREW DIN 968 AISI 304 A2 70 Quality

Size	3,9	4,2	4,8
9,5	9,37	10,16	15,44
13	10,56	12,90	16,50
16	12,14	13,33	18,61
19	13,66	15,18	21,12
22	15,18	16,76	23,76
25	16,76	18,48	25,34
32	19,91	22,44	30,49
38	23,03	26,40	35,64

METRİK YHB VİDA AISI 304 A2-70 İNOX DIN 965 - TX

Size	M 3	M 4	M 5	M 6	M 8
6					
8					
10					
12					
16					
20					
25					
30					
35					
40					
45					
50					

ÖZEL TEKLİF
ÖZEL FİYAT

METRİK YSB VİDA AISI 304 A2-70 İNOX DIN 7985 - TX

Size	M 3	M 4	M 5	M 6	M 5
6					
8					
10					
12					
16					
20					
25					
30					
35					
40					
45					
50					

ÖZEL TEKLİF
ÖZEL FİYAT

HEXEGONAL SCREW DIN 7976 AISI 304 A2-70 Quality

Size	3,9	4,2	4,8	5,5	6,3
6,5					
9,5					
13					
16					
19					
22					
25					
32					
38					
45					
50					

ÖZEL TEKLİF
ÖZEL FİYAT

SELF TAPPING SOCKET SCREW AISI 304 A2-70 Quality

Size	3,9	4,2	4,8	5,5	6,3
6,5					
9,5					
13					
16					
19					
22					
25					
32					
38					
45					
50					

ÖZEL TEKLİF
ÖZEL FİYAT

TRİFON VİDA AISI 304 A2-70 İNOX DIN 571 TL/100 01-01-2014

Size	6	8	10	12
30	32,00	63,00		
40	39,50	75,50	135,00	
50	46,45	87,20	153,50	221,00
60	51,10	102,00	177,70	250,00
70	61,80	113,50	194,50	280,00
80	69,76	129,50	218,00	315,00
90	90,00	141,00	245,00	345,00
100	99,00	156,00	265,00	375,00
110		195,00	330,00	470,00
120		210,00	360,00	510,00
130		225,00	380,00	540,00
140		240,00	400,00	570,00
150		260,00	420,00	610,00

KASA CİVATASI AISI 304 A2-70 İNOX DIN 603

Size	M6	M8	M10	M12
16	32,00	58,00	91,15	
20	33,00	59,88	98,50	
25	37,00	68,00	109,35	190,95
30	41,67	75,00	120,20	198,30
35	46,50	82,45	131,05	214,35
40	49,75	91,12	141,90	230,40
50	60,75	108,50	168,80	265,60
60	70,30	125,40	195,70	303,80
70	79,90	142,80	222,60	342,00
80	89,50	159,70	249,50	377,50
90	99,00	177,05	276,40	416,60
100	108,50	194,40	303,40	455,60
120	170,00	280,00	390,00	550,00

STANDART EXTERNAL CIRCLIPS DIN 471 - DIN 472 AISI 304 A2 70 Quality

Size	DIN 471	Size	DIN 471	Size	DIN 472	Size	DIN 472
5	21,60	20	119,00	5		20	92,40
6	21,60	21	130,00	6		21	92,40
8	27,00	22	135,00	8		22	121,00
10	37,80	24	157,00	10	46,20	24	115,50
11	38,00	25	168,00	11	53,90	25	141,90
12	45,50	26	174,00	12	68,20	26	183,70
13	48,70	27	228,00	13	68,20	27	200,20
14	59,50	28	272,00	14	74,80	28	211,20
15	61,50	29	350,00	15	74,80	29	192,50
16	63,00	30	304,00	16	55,00	30	206,80
18	101,00	32	325,00	18	67,10	32	209,00

RETAINING WASHER AISI 304 A2-70 Quality

Size		DIN 6799	
1,5	8,80	8	31,90
1,9	8,80	9	36,30
2,3	9,90	10	47,30
3,2	11,00	12	66,00
4	12,10	15	116,60
5	15,40	19	209,00
6	16,50	24	292,60
7	29,70	30	400,00

WING SCREW DIN 316 AISI 304 A2-70 Quality

Size	M3	M4	M5	M6	M8	M10	M12
10	215,00	228,00	439,00	462,00			
12	231,00	237,00	455,00	478,00			
16	247,00	252,00	471,00	495,00	520,00	559,00	
20	260,00	244,00	519,00	545,00	572,00	601,00	758,00
25	277,00	246,00	567,00	595,00	625,00	656,00	934,00

30	287,00	335,00	599,00	629,00	660,00	693,00	1.037,00
35		383,00	606,00	637,00	669,00	702,00	1.133,00
40		439,00	678,00	713,00	749,00	787,00	1.261,00
45			734,00	771,00	809,00	850,00	1.357,00

EYE BOLTS DIN 444 AISI 304 A2 -70 Qualıty

Size	M6	M8	M10	M12	M16	M20	M24
30	468,00	985,00					
35	521,00	1.065,00					
40	622,00	1.135,00	1.540,00				
45	671,00	1.225,00	1.635,00				
50	720,00	1.310,00	1.775,00	2.820,00			
55	770,00	1.400,00	1.915,00	3.030,00			
60		1.490,00	2.055,00	3.240,00	4.405,00		
65		1.580,00	2.200,00	3.440,00	4.600,00		
70		1.670,00	2.340,00	3.650,00	5.070,00	7.480,00	
75			2.480,00	3.850,00	5.325,00	8.600,00	
80			2.610,00	4.050,00	5.580,00	9.700,00	
90				4.450,00	6.125,00	9.880,00	
100				4.800,00	6.670,00	11.370,00	15.450,00
110				5.225,00	7.215,00	12.225,00	16.640,00
120				5.620,00	7.760,00	13.040,00	17.830,00
130					8.302,00	13.890,00	19.060,00
140						14.735,00	20.280,00
150							21.470,00

VİTAŞ® Fasteners





VİTAŞ Fasteners
CİVATA ve VİDA İMALATIMIZ BAŞLAMIŞTIR
VİTAŞ Fasteners
CİVATA ve VİDA İMALATIMIZ BAŞLAMIŞTIR
ÖNCE İŞ GÜVENLİĞİ
ÖNCE İŞ GÜVENLİĞİ

Vitaş Vidaları


%100
YERLİ
VİTAŞ Fasteners 'ın yeni
SUNTA VİDASI
serisiyle tanışın
Kaliteyi ve Fiyatı
UZAKLARDA
Aramayın
Bilgi ve Sipariş için : 0 262 751 45 70
info@vitasvida.com satis@vitasvida.com

VİTAŞ® Fasteners
Real cost of fasteners is not measured with the price paid at the time of purchase, but with the efficiency and added value given to the system where they are used.
RoHS
QUALITY CERTIFICATES
DIN EN ISO 9001:2008
ISO 14001:2004
OHSAS 18001:2007
TS 432-9-EN ISO 1479
TS 432-1-EN ISO 1478
TS 432-8-EN ISO 7049
TA EN ISO 4014
TS EN ISO 4017
TS EN 14399-1
DEKRA
VİTAŞ® Fasteners
VİTAŞ® Fasteners

Vitaş Vida


VİTAŞ
Fasteners Co.
VİTAŞ
Fasteners Co.